Transition Met. Chem., **21**, 593–598 (1996)

UNIVERSITY OF HAWAII
FEB - 3 1997
LIBRARIES
SUPPLEMENT TO

Author Index

Abdel-Hady, A. E-D. M. Kinetics and mechanism of oxidation of (aqua-2-aminomethylpyridine) chromiun(III) by *N*-bromosuccinimide. 406

Abdel-Mawgoud, A-M. M. Complexes of chromium(III) and manganese(II) with *N*-naphthylideneamino acids. 219

Acharya, A. N. Steric effects on complex formation between nickel(II) and (2-imidazoleazo)benzene, 2, 2′-biimidazole and 2,2′-bibenzimidazole. 337

Ahmed, I. T. Ternary complexes of *N*-(2-acetamido)iminodiacetic acid and some aromatic acids. Isolation and stability constants in solution. 1

Akhtar, M. N. Synthesis of thionato(trimethylphosphine)gold(I) complexes. 553

Al-Arfaj, A. R. Synthesis of thionato(trimethylphosphine)gold(I) complexes. 553

Al-Shihri, A. S. M. Kinetics and mechanism of oxidation of (aqua-2-aminomethylpyridine)chromium(III) by *N*-bromosuccinimide. 406

Albishry, A. Synthesis and spectroscopic studies of complexes containing the Schiff base 1-acetylferrocene(thio)semicarbazone. 16

Ali, G. Y. Synthesis and spectroscopic studies on (4,5-dimethyl-3-pyrazolyl)aldazine nickel(II) complexes. 117

Ali, M. A. Nickel(II) and copper(II) complexes of ONS ligands formed from 2-hydroxyacetophenone and S-alkyldithiocarbazates and the X-ray crystal structure of the [Ni(Ap-SMe)py] complex (Ap-SMe = anion of the 2-hydroxyacetophenone Schiff base of S-methyldithiocarbazate). 351

Ali, S. I. Kinetics and mechanism of the complexation between hydroxopentaaquochromium(III) and octacyanomolybdate(IV) ions in acidic medium. 222

Alvarado, Y. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11

Arjmand, F. Synthesis of new 14- and 16-membered macrocycles and their transition metal complexes. 97

Bagatin, I. A. Spectroscopic and kinetic study of the reaction of *trans*-nitrosylchloro*bis*(dimethylglyoximate)ruthenium(II) with acetone in the presence of amines. 71

Baghlaf, A. O. Synthesis and spectroscopic studies of complexes containing the Schiff base 1-acetylferrocene(thio)semicarbazone 16

Bain, G. A. Binuclear copper(II) complexes of 5-nitrosalicylaldehyde N(3)-substituded thiosemicarbazones. 206

Bain, G. A. Copper(II) complexes of 2-formyl-, 2-acetyl- and 2-benzoylpyridine *N*(4)-phenyl-, *N*(4)-*o*-methoxyphenyl-, *N*(4)-*p*-methoxyphenyl- and *N*(4)-*p*-nitrophenylthiosemicarbazones. 213

Bain, G. A. Copper(II) complexes of 2-formyl-, 6-methyl,-2-formyl- and 2-benzoylpyridine *N*(4)-(2-methylpyridinyl)-, *N*(4)-(2-ethyl-pyridinyl)- and *N*(4)-methyl(2-ethylpyridinyl)-thiosemicarbazones. 289

Bain, G. A. Copper(II) complexes of 2-formyl-,2-acetyl- and 2-benzoylpyridine *N* (4)-*o*-, *N*(4)-*m*-, *N*(4)-*p*-chlorophenylthiosemicarbazones. 52

Bain, G. A. Metal complexes of 2-acetylpyridine *N*(4)-dihexyl- and *N*(4)-dicyclohexylthiosemicarbazones. 573

Banaser, K. Synthesis and spectroscopic studies of complexes containing the Schiff base 1-acetylferrocene(thio)semicarbazone. 16

Bandyopadhyay, P. Cyclopentadienyl complex containing a palladium – naphthyl σ–bond: synthesis, characterization and reactivity. 187

Baoyu, X. Synthesis, structure and characterization of binuclear silver(I) complexes. 28

Barba-Behrens, N. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31

Barquin, M. Magnetic properties of biacetyldihydrazone complexes. 67

Basudhar, P. R. Mixed-ligand complexes of osmium (III/IV)8-quinolinolates with one ketoximate ligand. 154

Battaglia, L. P. Reaction products distribution between square-planar gold(III) complexes and *N,N,N′,N′*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato) gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2]\cdot Br\cdot 2H_2O$. 169

Bernalte-Garcia, A. Reactions of metal(II) ions with sugar α-amino acids: nickel(II) complexes containing an α-amino acid derived from galactose or mannose. 197

Bernardinelli, G. Mononuclear and dinuclear copper(I) complexes with a particularly bulky phosphine ligand. Unusual synthesis and crystal structure characterizations. 546

Bhat, R. B. Synthesis of nickel(II)-di(5-chloro-2-methylphenyl)-carbazonate and its adduct formation with heterocyclic nitrogen bases. 327

Bhattacharjee, P. Nickel(II) and copper(II) complexes of ONS ligands formed from 2-hydroxyacetophone and S-alkyldithiocarbazates and the X-ray crystal structure of the [Ni(Ap-SMe)py] complex (Ap-SMe = anion of the 2-hydroxyacetophenone Schiff base of S-methyldithiocarbazate). 351

Bhattacharya, S. Synthesis, characterization and cyclic voltammetric studies of β-ketooximato ruthenium(II) complexes. 158

Bhattacharya, S. Synthesis, characterization and cyclic voltammetric studies of ruthenium oximates. 423

Bhawmick, R. Cyclopentadienyl complex containing a palladium–naphthyl σ-bond: synthesis, characterization and reactivity. 187

Billeh, I. S. Metal complexes of 2-acetylpyridine *N*(4)-dihexyl- and *N*(4)-dicyclohexylthiosemicarbazones. 573

Bouet, G. Formation of cobalt(II), nickel(II) and copper(II) chloro complexes in alcohols and the Irving – Williams order of stabilities. 231

Bouet, G. M. Metallic complexes with furan oximes. Part 5 – synthesis and characterization of 5-nitro- 2-furfuraldoxime complexes with 3d element dihalides. 530

Bradshaw, R. Cobalt(III) complexes of 2-oximino-10-oximino-3,9-dimethyl-4,8-diazaundeca-3,8-diene. 64

Brezina, F. A novel trinuclear nickel(II) complex with a Schiff base derived from *m*-phenylenediamine and diacetyl monoxime. 287

Brezina, F. Binuclear iron(III)–iron(III) complexes with the tetradentate Schiff base *N,N′-bis*(salicylidene)ethylenediamine and dicarboxylic acids or dithiooxamide as bridging ligands. 49

Bu, X. H. Synthesis, magnetism and crystal structure of a chloride-bridged binuclear nickel(II) complex of *tris*(2-pyridylmethyl)-amine. 235

Butcher, R. J. Nickel(II) and copper(II) complexes of ONS ligands formed from 2-hydroxyacetophenone and S-alkyldithiocarbazates and the X-ray crystal structure of the [Ni(Ap-SMe)py] complex (Ap-SMe = anion of the 2-hydroxyacetophenone Schiff base of S-methyldithiocarbazate). 351

Cameron, J. H. Enhanced stability to decomposition of a cobalt – dioxygen adduct supported in a copolymer matrix. 85

Cameron, J. H. Synthesis and reactivity of an unsymmetrically substituted 16-membered macrocyclic complex of nickel(II) and the crystal structure of its acyclic precursor, (3-acetyl-10-methyl-5,9-diazatrideca-3,8-diene-2,12-dionato)-nickel(II). 451

Capparelli, A. L. Equilibrium and kinetic studies of cobalt(II) complexation by folic acid. 317

Castan, P. Mononuclear and dinuclear copper(I) complexes with a particularly bulky phosphine ligand. Unusual synthesis and crystal structure characterizations. 546

Castillo-Blum, S. E. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31

Chandraju, S. Kinetics of oxidation of L-lysine and L-phenylalanine by anodically-generated manganese(III) in aqueous ethanoic acid. 519

Chatlas, J. Kinetics and mechanism of the acid-catalysed hydrolysis of the carbonatotetraimidazolecobalt(III) ion. 432

Chehata, A. K. Kinetics of aquation of the *trans*-dichloro*bis*(*N*-methylethylenediamine)cobalt(III) ion in a water – methanol media. 437

Chen, S. New substituted titanocene, zirconocene and hafnocene dichlorides. 393

Chen, X-Y. Synthesis and spectroscopic studies of trinuclear uranyl complexes with compartmental ligands H_4L derived from 2, 6-dipicolinoylhydrazine and 4-acyl-1-phenyl-3-methylpyrazolones-5 (where acyl = benzoyl, acetyl, *iso*-butyryl or *iso*-valeroyl). 345

Chen, X. Synthesis and properties of cyano-bridged nickel(II) – iron(III) complexes. 181

Chen, Y. T. Synthesis, magnetism and crystal structure of a chloride-bridged binuclear nickel(II) complex of *tris*(2-pyridylmethyl)amine. 235

Cheng, I. The mechanism of directional oxidation of hydrazine by silver coordination compounds. 503

Cheng, P. A new ferromagnetic hetero-metallic assembly, $[Cu(en)]_3[Fe(CN)_6]_2\cdot 3H_2O$. 349

Cheng, P. *O*-phenylene*bis*(oxamato) bridged trinuclear copper(II) complexes: synthesis and magnetic properties. 127

Cheng, P. Oxalate-bridged mixed-valence trinuclear manganese(II) – manganese(III) – manganese(II) complexes: synthesis and magnetism. 270

Cheng, P. Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. 515

Cheng, P. Synthesis and magnetism of μ-1,3,5-benzenetricarboxylatocopper(II) trinuclear complexes. 512

Cheng, P. The first examples of oxalate-bridged mixed-valence pentanuclear $[Mn(L)_2]_3[Mn(ox)_3]_2$ complexes: synthesis and magnetism. 95

Chudasama, U. A new inorgano – organic ion exchanger; *p*-chlorophenol anchored to zirconium tungstate. 7

Czakis-Sulikowska, D. 2,4′-Bipyridyl complexes with silver(I) and copper(II). 19

Danilczuk, E. Kinetics and mechanism of the acid-catalysed hydrolysis of the carbonatotetraimidazolecobalt(III) ion. 432

Das, M. Unsymmetrical β-diketones, monothio-β-diketones and their nickel(II) and cobalt(III) complexes. 442

Das, N. Complexation of cobalt(II) with histidinato(pentaammine)cobalt(III) in aqueous medium. A kinetic and mechanistic study. 238

Das, N. Kinetics and mechanism of the anation of (αβ)-hydroxo(tetraethylenepentamine)cobalt (III) by thiosulfate, the base hydrolysis of the (sulfur-bonded) thiosulfato(tetraethylenepentamine)cobalt(III) and photochemistry of oxygen and sulfur-bonded thiosulfato complexes. 90

Das, P. K. Mixed-ligand complexes of osmium (III/IV)8-quinolinolates with one ketoximate ligand. 154

Das, R. Complexation of cobalt(II) with histidinato(pentaammine)cobalt(III) in aqueous medium. A kinetic and mechanistic study. 238

Das, R. Kinetics and mechanism of the anation of (αβ)-hydroxo(tetraethylenepentamine)cobalt (III) by thiosulfate, the base hydrolysis of the (sulfur-bonded) thiosulfato(tetraethylene-pentamine)cobalt(III) and photochemistry of oxygen and sulfur-bonded thiosulfato complexes. 90

Dash, A. C. Kinetics and mechanism of the anation of (αβ)-hydroxo(tetraethylenepentamine) cobalt(III) by thiosulfate, the base hydrolysis of the (sulfur-bonded) thiosulfato(tetraethylenepentamine)cobalt(III) and photochemistry of oxygen and sulfur-bonded thiosulfato complexes. 90

Dash, A. C. Steric effects on complex formation between nickel(II) and (2-imidazoleazo)benzene, 2, 2′-biimidazole and 2,2′-bibenzimidazole. 337

De, G. S. Displacement of aqua ligands from the hydroxopentaaquarhodium(III) ion by pyridine-2-aldoxime: A kinetic and mechanistic approach. 358

De La Cruz, C. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11

Desseyn, H. O. Preparation, structural characterization and vibrational spectroscopic studies of transition metal complexes of singly- and doubly-deprotonated *N*-methyl-2-thiooxamic acid. 273

Díaz-Díez, M. A. Reactions of metal(II) ions with sugar α-amino acids: nickel(II) complexes containing an α-amino acid derived from galactose or mannose. 197

Dockal, E. R. Tetradentate Schiff base oxovanadium(IV) complexes. 370

Dongmei, W. Synthesis, structure and characterization of binuclear silver(I) complexes. 28

Douglas, K. Development of novel DNA cleavage systems based on copper. 474

QD 172.T6 T76

Douglas, K. T. A common chemical mechanism used for DNA cleavage by copper(II) activated by thiols and ascorbate is distinct from that for copper(II): hydrogen peroxide cleavage. 460
Douman, J. Synthesis, structure and characterization of binuclear silver(I) complexes. 28
Duan, C-Y. Preparation and characterization of metal complexes containing a NS donor ligand derived from *S*-benzyldithiocarbazate and *p*-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. 254
Duan, C-Y. Synthesis, characterization and crystal structure of a *tris*(2-aminoethyl)amine copper complex with a imidazole coligand. 193
Ebert, K. H. Metal complexes of 2-acetylpyridine *N*(4)-dihexyl- and *N*(4)-dicyclohexylthiosemicarbazones. 573
Efimenko, I. A. Reaction products distribution between square-planar gold(III) complexes and *N,N,N',N'*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato) gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2]\cdot Br\cdot 2H_2O$ 169
El-Subruiti, G. M. Kinetics of aquation of the *trans*-dichloro*bis*(*N*-methylethylenediamine)cobalt (III) ion in a water – methanol media. 437
El-Tabl, A. S. Preparation and characterization of mononuclear nickel(II) and copper(II) complexes of a hexaazamacrobicyclic ligand. 428
El-Dissouky, A. Synthesis and spectroscopic studies on (4,5-dimethyl-3-pyrazolyl)aldazine nickel(II) complexes. 117
Escriva, E. Crystal and molecular structure, and electronic properties of hexakis(imidazole)copper(II) formate. 541
Escuer, A. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Feliz, M. R. Equilibrium and kinetic studies of cobalt(II) complexation by folic acid. 317
Fengying, H. Synthesis, characterization and antitumour properties of metal(II) solid complexes with Morin. 23
Folgado, J-V. Crystal and molecular structure, and electronic properties of hexakis(imidazole)copper(II) formate. 541
Fricker, S. P. Medicinal chemistry and pharmacology of gold compounds. 377
Fun, H-K. Preparation and characterization of metal complexes containing a NS donor ligand derived from *S*-benzyldithiocarbazate and *p*-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. 254
Fun, H-K. Synthesis, characterization and crystal structure of a *tris*(2-aminoethyl)amine copper complex with a imidazole coligand. 193
Ganorkar, M. C. Preparation and characterization of mixed-ligand dihydrazone complexes of nickel(II). 101
Garcia-Barros, F. J. Reactions of metal(II) ions with sugar α-amino acids: nickel(II) complexes containing an α-amino acid derived from galactose or mannose. 197
Garmendia, M. J. G. Magnetic properties of biacetyldihydrazone complexes. 67
Gemeay, A. H. Kinetics and mechanism of the oxidation of L-ascorbic acid by the *N,N'*-ethylene-*bis*(salicylideneiminato)manganese(III) complex in aqueous solution. 130
Ghatak, N. Synthesis, characterization and cyclic voltammetric studies of β-ketooximato ruthenium(II) complexes. 158
Ghatak, N. Synthesis, characterization and cyclic voltammetric studies of ruthenium oximates. 423
Ghosh, A. K. Displacement of aqua ligands from the hydroxopentaaquarhodium(III) ion by pyridine-2-aldoxime: A kinetic and mechanistic approach. 358
Ghosh, B.K. Mixed-ligand complexes of osmium (III/IV)8-quinolinolates with one ketoximate ligand. 154
Ghosh, S. Displacement of aqua ligands from the hydroxopentaaquarhodium(III) ion by pyridine-2-aldoxime: A kinetic and mechanistic approach. 358
Ghosh, T. Mixed-ligand oxovanadium(V) complexes incorporating bidentate salicylaldehyde and tridentate aldimine ligands. 309
Gielzak-Kocwin, K. Thiazolidine-4-carboxylic acid and 2-aminothiazoleethanoic acid as ligands. The synthesis, magnetic, e.p.r. and spectral properties of copper(II) complexes. 312
Giridhar, S. Equilibrium and kinetic studies of electron transfer reactions involving quinolinium dichromate and aminoalcohols in aqueous acid media. 105
Girish, S. R. Oxomolybdenum(V) complexes of 2-benzothiazolyl hydrazones. 401
Godino-Salido, L. Synthesis and characterization of metal complexes of the nucleoside 1,6-dihydro-4-glucopyranosylamino-2-methylthio-5-nitroso-6-oxo-pyrimidine. 149
Gok, Y. The synthesis and characterization of a *bis*-oxime functionalized binucleating macrocycle and its polynuclear complexes. 331
Gonzalez, A. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11
Grancicova, O. Kinetics of aquation of *cis*- and *trans*-chloro-nitro*bis*(ethylenediamine) cobalt (III) ion in aqueous mixtures of ethylene carbonate and propylene carbonate. 184
Gratzel, M. A cyclic voltammetric study of iron(II)/ruthenium(II) complexes with *bis*(tertiary phosphines). 551
Guan, T. S. Nickel(II) and copper(II) complexes of ONS ligands formed from 2-hydroxyacetophenone and S-alkyldithiocarbazates and the X-ray crystal structure of the [Ni(Ap-SMe)py] complex (Ap-SMe = anion of the 2-hydroxyacetophenone Schiff base of S-methyldithiocarbazate). 351
Guarr, T. F. Electrochemical studies of bimetallic rhenium(III) complexes possessing two accessible mixed-valence states. 58
Guo, M. Study of interactions between titanocene dichloride and mononucleotides by high-resolution ^1H- and ^{31}P-nuclear magnetic resonance. 322
Gupta , A. K. Mono- and binuclear ruthenium(II) trifluoroacetato complexes containing monodentate co-ligands. 250
Gupta, M. Palladium(II) inhibition during cerium (IV) oxidation of aldoses: a kinetic study. 266
Gupta, S. S. Homonuclear molybdenum(VI) and heteronuclear molybdenum(VI) copper(II) peroxo complexes containing amino acids. 410
Gutierrez-Valero, D. Synthesis and characterization of metal complexes of the nucleoside 1,6-dihydro-4-glucopyrano-sylamino-2-methylthio-5-nitroso-6-oxo-pyrimidine. 149
Gutlich, P. Light-induced excited spin-state trapping of the $Fe(ppi)_2(NCS)_2$ complex. 472
Harvey, H. B. Enhanced stability to decomposition of a cobalt – dioxygen adduct supported in a copolymer matrix. 85
Hasan, S. S. Incorporation of peptide bonds in the synthesis of polyazamacrocyclic complexes. 283
Hashem, H. Y. Synthesis and spectroscopic studies of complexes containing the Schiff base 1-acetylferrocene(thio)semicarbazone. 16
Hassan, A. M. A. Ternary complexes of *N*-(2-acetamido)iminodiacetic acid and some aromatic acids. Isolation and stability constants in solution. 1
Haworth, D. T. Unsymmetrical β-diketones, monothio-β-diketones and their nickel(II) and cobalt(III) complexes. 442
Hay, R. W. Cobalt(III) complexes of 2-oximino-10-oximino-3,9-dimethyl-4,8-diazaundec-3,8-diene. 64
Hayashi, T. Studies on ferrocene derivatives. Part 12. Substituent effects for the disproportionation, synproportionation and ligand exchange reactions of *t*-butylferrocenes. 418
Hereygers, M. L. B. F. Preparation, structural characterization and vibrational spectroscopic studies of transition metal complexes of singly- and doubly-deprotonated *N*-methyl-2-thiooxamic acid. 273
Hernandez-Ortega, S. Binuclear copper(II) complexes of 5-nitrosalicylaldehyde N(3)-substituded thiosemicarbazones. 206
Hernandez-Ortega, S. Metal complexes of 2-acetylpyridine *N*(4)-dihexyl- and *N*(4)-dicyclohexylthiosemicarbazones. 573
Hernandez, R. M. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Higes-Rolando, F. J. Reactions of metal(II) ions with sugar α-amino acids: nickel(II) complexes containing an α-amino acid derived from galactose or mannose. 197
Hiremath, G. A. Kinetics of oxidation of thallium(I) by permanganate in aqueous hydrochloric acid medium using the stopped-flow technique. 560
Hiremath, S. A. Synthesis of nickel(II)-di(5-chloro-2-methylphenyl)-carbazonate and its adduct formation with heterocyclic nitrogen bases. 327
Hoggard, P. E. Ligand field parameters in pentaammine complexes of chromium(III) with a carbon – oxygen or phosphorus – oxygen donor. 61
Hojer, G. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Holder, G. N. Electrochemical studies of bimetallic rhenium(III) complexes possessing two accessible mixed-valence states. 58
Hou, H. Solid state synthesis and crystal structure of a novel cluster, $[WS_4Ag_3I(AsPh_3)_3](SAsPh_3)$. 398
Huang, J. New substituted titanocene, zirconocene and hafnocene dichlorides. 393
Huang, J. Synthesis and crystal structures of three novel octanuclear heterometallic clusters $Na_2V_2[Mo_3O_4(OAc)_8]_2\cdot H_2O$, $Na_2Cr_2[Mo_{1.5}W_{1.5}O_4(O_2CEt)_8]_2$ and $Na_2Al_2[Mo_2WO_4(O_2CEt)_8]_2$. 498
Huang, T. New substituted titanocene, zirconocene and hafnocene dichlorides. 393
Hussain, M. S. Synthesis of thionato(trimethylphosphine)gold(I) complexes. 553
Ianelli, S . Reaction products distribution between square-planar gold(III) complexes and *N,N,N',N'*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato)gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2]\cdot Br\cdot 2H_2O$. 169
Ibrahim, G. Metallic complexes with furan oximes. Part 5 - synthesis and characterization of 5-nitro-2-furfuraldoxime complexes with 3d element dihalides. 530
Ibrahim, S. A. Ternary complexes of *N*-(2-acetamido)iminodiacetic acid and some aromatic acids. Isolation and stability constants in solution. 1
Ingram III, J. J. Copper(II) complexes of 2-formyl, 2-acetyl- and 2-benzoylpyridine *N*(4)-phenyl-, *N*(4)-o-methoxyphenyl-, *N*(4)-*p*-methoxyphenyl- and *N*(4)-*p*-nitrophenylthiosemicarbazones. 213
Isab, A. A. Synthesis of thionato(trimethylphosphine)gold(I) complexes. 553
Ishaq, M. Synthesis and spectroscopic studies of complexes containing the Schiff base 1-acetylferrocene(thio)semicarbazone. 16.
Jain, V. K. Synthesis and characterization of binuclear palladium(II) and platinum(II) complexes with a bridging hydroxypyridinate ligand. 494
Jasinski J. P. Nickel(II) and copper(II) complexes of ONS ligands formed from 2-hydroxyacetophenone and S-alkyldithiocarbazates and the X-ray crystal structure of the [Ni(Ap-SMe)py] complex (Ap-SMe = anion of the 2-hydroxyacetophenone Schiff base of S-methyldithio-carbazate). 351
Jaud, J. Mononuclear and dinuclear copper(I) complexes with a particularly bulky phosphine ligand. Unusual synthesis and crystal structure characterizations. 546
Jeyasubramanian, K. 1-Halobenzotriazoles as new halogenating agents for metal β-diketonates. 457
Ji, L-n. Synthesis, characterization and interaction with DNA of ruthenium(II) mixed-ligand complexes containing pyridino[3,2-*f*][1,7]-phenanthroline. 487
Jiang, Z. Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. 515
Jiang, Z. Synthesis and magnetism of μ-1,3,5-benzenetricarboxylatocopper(II) trinuclear complexes. 512
Jiang, Z-H. A new ferromagnetic hetero-metallic assembly, $[Cu(en)]_3[Fe(CN)_6]_2\cdot 3H_2O$. 349
Jiang, Z-H. Oxalate-bridged mixed-valence trinuclear manganese(II) – manganese(III) – manganese(II) complexes: synthesis and magnetism. 270
Jiang, Z-H. Synthesis and magnetic properties of trinuclear chromium(III) – palladium(II) – chromium(III) complexes bridged by extended dioximato groups. 166
Jiang, Z-H. The first examples of oxalate-bridged mixed-valence pentanuclear $[Mn(L)_2]_3[Mn(ox)_3]_2$ complexes: synthesis and magnetism. 95
Jiang, Z-H. *O*-phenylene*bis*(oxamato) bridged trinuclear copper(II) complexes: synthesis and magnetic properties. 127
Jiang, Z. H. Synthesis, magnetism and crystal structure of a chloride-bridged binuclear nickel(II) complex of *tris*(2-pyridylmethyl)- amine. 235
John, D. C. A. A common chemical mechanism used for DNA cleavage by copper(II) activated by thiols and ascorbate is distinct from that for copper(II): hydrogen peroxide cleavage. 460

Kanagavel, D. Syntheses and characterization of doubly-bidentate *bis*(carboxyamide) complexes of oxomolybdenum(IV). 570
Karabocek, S. The synthesis and characterization of a *bis*-oxime functionalized binucleating macrocycle and its polynuclear complexes. 331
Khairy, E. M. Metal complexes of salicylhydroxamic acid: equilibrium studies and synthesis. 176
Khalil, M. M. Metal complexes of salicylhydroxamic acid: equilibrium studies and synthesis. 176
Khan, M. Formation of cobalt(II), nickel(II) and copper(II) chloro complexes in alcohols and the Irving – Williams order of stabilities. 231
Khan, M. A. Metallic complexes with furan oximes. Part 5 – synthesis and characterization of 5-nitro- 2-furfuraldoxime complexes with 3d element dihalides. 530
Khan, T. A. Incorporation of peptide bonds in the synthesis of polyazamacrocyclic complexes. 283
Khan, Z. Kinetics and mechanism of the complexation between hydroxopentaaquo-chromium (III) and octacyanomolybdate(IV) ions in acidic medium. 222
Klicka, R. Binuclear iron(III) – iron(III) complexes with the tetradentate Schiff base *N,N´-bis*(salicylidene)ethylenediamine and dicarboxylic acids or dithiooxamide as bridging ligands. 49
Klicka, R. Investigation of {1,2-*bis*(diphenylphosphino)ethane-*P,P´*}-(dithiocarbonato-*S,S´*)-*nickel(II).* 81
Kou, H-Z. A new ferromagnetic hetero-metallic assembly, $[Cu(en)]_3[Fe(CN)_6]_2 \cdot 3H_2O$. 349
Kozub, N. M. Copper(II) complexes of 2-formyl-, 2-acetyl- and 2-benzoylpyridine *N*(4)-phenyl-, *N*(4)-*o*-methoxyphenyl-, *N*(4)-*p*-methoxyphenyl- and *N*(4)-*p*-nitrophenylthiosemicarbazones. 213
Kozub, N. M. Copper(II) complexes of 2-formyl-,2-acetyl- and 2-benzoylpyridine *N* (4)-*o*-, *N*(4)-*m*-, *N* (4)-*p*-chlorophenylthiosemicarbazones. 52
Krishnan, C. N. Syntheses and characterization of doubly-bidentate *bis*(carboxyamide) complexes of oxomolybdenum(IV). 570
Kumar, R. R. E.p.r. and optical absorption of Mn^{2+} ions in ternary $K_2SO_4 - Na_2SO_4 - ZnSO_4$ glasses. 390
Kuznik , B. 2,4´-Bipyridyl complexes with silver(I) and copper(II). 19
Lakshmi, P. J. Mechanism of oxidation of iron(II) chelates by hexavalent chromium and heptavalent manganese in aqueous sulfuric acid and micellar media – a kinetic approach. 135
Lalia-Kantouri, M. Heterometallic copper-lanthanum complexes of 4-(1*H*)pyridone. 491
Larsonneur-Galibert, A. M. Mononuclear and dinuclear copper(I) complexes with a particularly bulky phosphine ligand. Unusual synthesis and crystal structure characterizations. 546
Lenstra, A. T. H. Preparation, structural characterization and vibrational spectroscopic studies of transition metal complexes of singly- and doubly-deprotonated *N*-methyl-2-thiooxamic acid. 273
Li, Y. Nickel(II) and copper(II) complexes of ONS ligands formed from 2-hydroxyacetophenone and S-alkyldithiocarbazates and the X-ray crystal structure of the [Ni(Ap-SMe)py] complex (Ap-SMe = anion of the 2-hydroxyacetophen-one Schiff base of S-methyldithiocarbazate). 351
Li, Z. Synthesis and crystal structures of three novel octanuclear heterometallic clusters $Na_2V_2[Mo_3O_4(OAc)_8]_2 \cdot H_2O$, $Na_2Cr_2[Mo_{1.5}W_{1.5}O_4(O_2CEt)_8]_2$ and $Na_2Al_2[Mo_2WO_4(O_2CEt)_8]_2$. 498
Liao, D. Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. 515
Liao, D. Synthesis and magnetism of μ-1,3,5-benzenetricarboxylatocopper(II) trinuclear complexes. 512
Liao, D-Z The first examples of oxalate-bridged mixed-valence pentanuclear $[Mn(L)_2]_3[Mn(ox)_3]_2$ complexes: synthesis and magnetism. 95
Liao, D-Z. A new ferromagnetic hetero-metallic assembly, $[Cu(en)]_3[Fe(CN)_6]_2 \cdot 3H_2O$. 349
Liao, D-Z. Oxalate-bridged mixed-valence trinuclear manganese(II) – manganese(III) – manganese(II) complexes: synthesis and magnetism. 270
Liao, D-Z. Synthesis and magnetic properties of trinuclear chromium(III) – palladium(II) – chromium(III) complexes bridged by extended dioximato groups. 166
Liao, D-Z *O*-phenylene*bis*(oxamato) bridged trinuclear copper(II) complexes: synthesis and magnetic properties. 127
Liberta, A. E. Binuclear copper(II) complexes of 5-nitrosalicylaldehyde N(3)-substituded thiosemicarbazones. 206
Liberta, A. E. Copper(II) complexes of 2-formyl-, 2-acetyl- and 2-benzoylpyridine *N*(4)-phenyl-, *N*(4)-*o*-methoxyphenyl-, *N*(4)-*p*-methoxyphenyl- and *N*(4)-*p*-nitrophenylthiosemicarbazones. 213
Liberta, A. E. Copper(II) complexes of 2-formyl-, 6-methyl-2-formyl- and 2-benzoylpyridine *N*(4)-(2-methylpyridinyl)-, *N*(4)-(2-ethylpyridinyl)- and *N*(4)-methyl(2-ethylpyridinyl)-thiosemicarbazones. 289
Liu, H. Synthesis and crystal structures of three novel octanuclear heterometallic clusters $Na_2V_2[Mo_3O_4(OAc)_8]_2 \cdot H_2O$, $Na_2Cr_2[Mo_{1.5}W_{1.5}O_4(O_2CEt)_8]_2$ and $Na_2Al_2[Mo_2WO_4(O_2CEt)_8]_2$. 498
Liu, Y. Solid state synthesis and crystal structure of a novel cluster, $[WS_4Ag_3I(AsPh_3)_3](SAsPh_3)$. 398
Liu, Y. Synthesis and magnetism of μ-1,3,5-benzenetricarboxylatocopper(II) trinuclear complexes. 512
Liufang, W. Synthesis, characterization and antitumour properties of metal(II) solid complexes with Morin. 23
Lobana, T. S. A cyclic voltammetric study of iron(II)/ruthenium(II) complexes with *bis*(tertiary phosphines). 551
Lobana, T. S. The chemistry of pyridine thiols and related ligands. Part 5. Synthesis and spectroscopy of nickel(II) and copper(II) complexes containing 1-oxopyridine-2-thione and 2, 2´-bipyridine or 1,10-phenanthroline. 300
Lopez-Garzon, R. Synthesis and characterization of metal complexes of the nucleoside 1,6-dihydro-4-glucopyranosylamino-2-methylthio-5-nitroso-6-oxo-pyrimidine. 149
Lu, Z-L. Preparation and characterization of metal complexes containing a NS donor ligand derived from *S*-benzyldithiocarbazate and *p*-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. 254
Lu, Z. Synthesis, characterization and crystal structure of a *tris*(2-aminoethyl)amine copper complex with a imidazole coligand. 193
Lutfullah, Synthesis of new 14- and 16-membered macrocycles and their transition metal complexes. 97
Macartney, D. H. Kinetics and mechanisms of the oxidation of the octacyanoniobate(II) ion by oxyanions in alkaline aqueous media. 200
Mahadevappa, D. S. Kinetics of oxidation of L-lysine and L-phenylalanine by anodically-generated manganese(III) in aqueous ethanoic acid. 519
Mahale, V. B. Oxomolybdenum(V) complexes of 2-benzothiazolyl hydrazones. 401
Mahmoud, M. R. Ternary complexes of *N*-(2-acetamido)iminodiacetic acid and some aromatic acids. Isolation and stability constants in solution. 1
Malinowska, A. 2,4´-Bipyridyl complexes with silver(I) and copper(II). 19
Manessi-Zoupa, E. Preparation, structural characterization and vibrational spectroscopic studies of transition metal complexes of singly- and doubly-deprotonated *N*-methyl-2-thiooxamic acid. 273
Marek, J. Investigation of {1,2-*bis*(diphenylphosphino)ethane-*P,P´*}-(dithiocarbonato-*S,S´*)-nickel(II). 81
Marpadga, G. Preparation and characterization of mixed-ligand dihydrazone complexes of nickel(II). 101
Massoud, S. S. Kinetics of aquation of the *trans*-dichlor*obis*(*N*-methylethylenediamine)cobalt(III) ion in a water – methanol media. 437
Mathur, P. A spectral and electrochemical study of mononuclear manganese(III) complexes of a polybenzimidazolyl ligand. 524
Matovic, Z. D. Reaction products distribution between square-planar gold(III) complexes and *N,N,N´,N´*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato)gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2] \cdot Br \cdot 2H_2O$. 169
McCullough, K. J. Synthesis and reactivity of an unsymmetrically substituted 16-membered macrocyclic complex of nickel(II) and the crystal structure of its acyclic precursor, (3-acetyl-10-methyl-5,9-diazatrideca-3,8-diene-2,12-dion-a to)nickel(II). 451
McKee, A. Enhanced stability to decomposition of a cobalt – dioxygen adduct supported in a copolymer matrix. 85
Meng, Q. Synthesis and properties of cyano-bridged nickel(II) – iron(III) complexes. 181
Meng, Q. Synthesis and spectroscopic studies of trinuclear uranyl complexes with compartmental ligands H_4L derived from 2, 6-dipicolinoylhydrazine and 4-acyl-1-phenyl-3-methylpyrazolones-5 (where acyl = benzoyl, acetyl, *iso*-butyryl or *iso*-valeroyl). 345
Meullemeestre, J. Formation of cobalt(II), nickel(II) and copper(II) chloro complexes in alcohols and the Irving–Williams order of stabilities. 231
Meyer, H. The substitution kinetics of the aqua ligand by cyanide ions in $[Ru(TPPS)(CO)(H_2O)]^{4-}$. 77
Meza-Hojer, S. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Miao, M-M. Oxalate-bridged mixed-valence trinuclear manganese(II) – manganese(III) – manganese(II) complexes: synthesis and magnetism. 270
Miao, M-M. The first examples of oxalate-bridged mixed-valence pentanuclear $[Mn(L)_2]_3[Mn(ox)_3]_2$ complexes: synthesis and magnetism. 95
Miao, M-M. *O*-phenylene*bis*(oxamato) bridged trinuclear copper(II) complexes: synthesis and magnetic properties. 127
Miao, M. Synthesis and magnetism of μ-1,3,5-benzenetricarboxylatocopper(II) trinuclear complexes. 512
Mikhailov, O. V. From novel complexing conditions to novel coordination compounds of nickel(II) with dithiooxamide and its bulky analogues. 363
Miletic, V. D. Reaction products distribution between square-planar gold(III) complexes and *N,N,N´,N´*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato)gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2] \cdot Br \cdot 2H_2O$. 169
Misir, M. N. The synthesis and characterization of a *bis*-oxime functionalized binucleating macrocycle and its polynuclear complexes. 331
Mohamed, A. K. Synthesis and electrochemical studies of a new series of pendant-armed hexaazamacrocyclic transition metal complexes. 162
Mohamed, M. M. A. Metal complexes of salicylhydroxamic acid: equilibrium studies and synthesis. 176
Mohanty, P. K. Medium effect on the reactions of complexes: kinetics and mechanism of the base hydrolysis of *cis*-[(salicylato)-(amine)*bis*(ethylenediamine)cobalt(III)] compounds in methanol – water. 565
Mondal, S. Mixed-ligand oxovanadium(V) complexes incorporating bidentate salicylaldehyde and tridentate aldimine ligands. 309
Morgan, R. J. Monomeric copper(II) and nickel(II) complexes of *N,N,N´,N´*-tetrakis[(2-benzimidazolyl)methyl]-1,2-cyclohexanediamine, a chelating ligand containing imidazole groups. 43
Mrozinsky, J. A novel trinuclear nickel(II) complex with a Schiff base derived from *m*-phenylenediamine and diacetyl monoxime. 287
Murali, M. Mixed-ligand copper(II) complexes with positive redox potentials. 142
NadvornRk, M. Binuclear iron(III) – iron(III) complexes with the tetradentate Schiff base *N,N´-bis*(salicylidene)ethylenediamine and dicarboxylic acids or dithiooxamide as bridging ligands. 49
Nandibewoor, S. T. Kinetics of oxidation of thallium(I) by permanganate in aqueous hydrochloric acid medium using the stopped-flow technique. 560
Narang, K. K. E.s.r. studies on acylhydrazine and hydrazone copper(II) sulfate complexes. 507
Navarro, J. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11
Nazeeruddin, M. K. A cyclic voltammetric study of iron(II)/ruthenium(II) complexes with *bis*(tertiary phosphines). 551
Ngai, L. Monomeric copper(II) and nickel(II) complexes of *N,N,N´,N´*-tetrakis[(2-benzimidazolyl)methyl]-1,2-cyclohexanediamine, a chelating ligand containing imidazole groups. 43
Nishat, N. Synthesis of new 14- and 16-membered macrocycles and their transition metal complexes. 97
Niu, J-Y. Preparation, characterization and magnetic properties of disubstituted ternary heteropolyoxometalates $[TBA]_3H_n[PW_9MoM_2O_{38}$

$(H_2O)_2]\cdot 3C_3H_6O$ (TBA = tetrabutylammonium, M = transition metal). 38
Nohria, L. A spectral and electrochemical study of mononuclear manganese(III) complexes of a polybenzimidazolyl ligand. 524
Norkus, E. The interaction of $Fe(CN)_6^{4-}$ ions with the copper(II) – EDTA complex in alkaline solutions. 385
Nowicki , W. Synthesis, spectroscopic and magnetic properties of iron(III) complexes with *N,N´*-ethylene*bis*(salicylaldimine) and β-diketones. 469
Nwabueze, J. N. Complexes of iron(III) with cyclopropanecarbo- and cyclohexylacetohydroxamic acids. 258
Ojo, J. F. The reductions of chloro-, bromo- and iodopentacyanocobaltate(III) anions by titanium (III) in aqueous acidic solution. 123
Okada, Y. Studies on ferrocene derivatives. Part 12. Substituent effects for the disproportionation, synproportionation and ligand exchange reactions of *t*-butylferrocenes. 418
Oki, A. R. Monomeric copper(II) and nickel(II) complexes of *N,N,N´,N´*-tetrakis[(2-benzimidazolyl)methyl]-1,2-cyclohexanediamine, a chelating ligand containing imidazole groups. 43
Olojo, O. O. The reductions of chloro-, bromo- and iodopentacyanocobaltate(III) anions by titanium(III) in aqueous acidic solution. 123
Olubuyide, O. A. The reductions of chloro-, bromo- and iodopentacyanocobaltate(III) anions by titanium(III) in aqueous acidic solution. 123
Oyetunji, O. A. The reductions of chloro-, bromo- and iodopentacyanocobaltate(III) anions by titanium(III) in aqueous acidic solution. 123
Palaniandavar, M. Mixed-ligand copper(II) complexes with positive redox potentials. 142
Pandey, Om. P. Binuclear oxovanadium(IV) complexes of phthalazine hydrazone ligands. 262
Pandit, B. A new inorgano – organic ion exchanger; *p*-chlorophenol anchored to zirconium tungstate. 7
Parhi, A. K. Medium effect on the reactions of complexes: kinetics and mechanism of the base hydrolysis of *cis*-[(salicylato)(amine)*bis*(ethylenediamine)cobalt(III)] compounds in methanol – water. 565
Pasternak, H. Allyl rhodium(III) complexes containing heterocyclic nitrogen ligands. 305
Pastorek, R. A novel trinuclear nickel(II) complex with a Schiff base derived from *m*-phenylenediamine and diacetyl monoxime. 287
Pastorek, R. Investigation of {1,2-*bis*(diphenylphosphino)ethane-*P,P´*}-(dithiocarbonato-*S,S´*)-nickel(II). 81
Paul, S. The chemistry of pyridine thiols and related ligands. Part 5. Synthesis and spectroscopy of nickel(II) and copper(II) complexes containing 1-oxopyridine-2-thione and 2,2´-bipyridine or 1,10-phenanthroline. 300
Pauliukaite, R. The interaction of $Fe(CN)_6^{4-}$ ions with the copper (II) – EDTA complex in alkaline solutions. 385
Perlepes, S. P. Preparation, structural characterization and vibrational spectroscopic studies of transition metal complexes of singly- and doubly-deprotonated *N*-methyl-2-thiooxamic acid. 273
Poddar, R. K. Mono- and binuclear ruthenium(II) trifluoroacetato complexes containing monodentate co-ligands. 250
Ponticelli, G. Reaction products distribution between square-planar gold(III) complexes and *N,N,N´,N´*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato)gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2]\cdot Br\cdot 2H_2O$. 169
Pradhan, G. C. Medium effect on the reactions of complexes: kinetics and mechanism of the base hydrolysis of *cis*-[(salicylato)(amine)*bis*(ethylenediamine)cobalt(III)] compounds in methanol – water. 565
Prasad, G. C. Complexes of *N*-aroyl-*N´*-thiobenzohydrazide with cobalt(II), nickel(II) and zinc(II). 296
Prasad, G. C. Synthesis, characterization and antitumour studies on *N*-salicyl-*N´*-thiobenzohydrazide and its copper(II) complex. 556
Pruchnik, F. P. Allyl rhodium(III) complexes containing heterocyclic nitrogen ligands. 305
Purcell, W. The substitution kinetics of the aqua ligand by cyanide ions in $[Ru(TPPS)(CO)(H_2O)]^{4-}$ 77
Qi, Z. Synthesis, characterization and antitumour properties of metal(II) solid complexes with Morin. 23
Qian, Y. New substituted titanocene, zirconocene and hafnocene dichlorides. 393
Radanovic, D. J. Reaction products distribution between square-planar gold(III) complexes and *N,N,N´,N´*-tetramethylthiuram disulfide. Crystal structure of *bis*(*N,N*-dimethyldithiocarbamato)gold(III) bromide dihydrate, $[Au(Me_2NCS_2)_2]\cdot Br\cdot 2H_2O$. 169
Radwanska-Doczekalska, J. 2,4´-Bipyridyl complexes with silver(I) and copper(II). 19
Rajanna, K. C. A kinetic study of the 1,10-phenanthroline-catalysed iron(III) oxidation of epimeric aldo-, and D-, and L- ketohexoses. 112
Rajanna, K. C. Equilibrium and kinetic studies of electron transfer reactions involving quinolinium dichromate and aminoalcohols in aqueous acid media. 105
Rajanna, K. C. Mechanism of oxidation of iron(II) chelates by hexavalent chromium and heptavalent manganese in aqueous sulfuric acid and micellar media – a kinetic approach. 135
Rajendram, C. R. A. Ligand field parameters in pentaammine complexes of chromium(III) with a carbon – oxygen or phosphorus – oxygen donor. 61
Rajesh, A spectral and electrochemical study of mononuclear manganese(III) complexes of a polybenzimidazolyl ligand. 524
Rajmankina, T. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11
Ramadan, A. E-M. M. Homogenous and heterogenous catalytic hydrogenation and isomerization of hex-1-ene by palladium(II) Schiff base complexes. 536
Ramalingam, S. K. 1-Halobenzotriazoles as new halogenating agents for metal β-diketonates. 457
Rangappa, K. S. Kinetics of oxidation of L-lysine and L-phenylalanine by anodically-generated manganese(III) in aqueous ethanoic acid. 519
Rao, A. S. E.p.r. and optical absorption of Mn^{2+} ions in ternary $K_2SO_4 - Na_2SO_4 - ZnSO_4$ glasses. 390
Raptopoulou, C. P. Coordination complexes of L-azetidine-2-carboxylic acid with platinium(II) and palladium(II). 244
Rath, S. P. Mixed-ligand oxovanadium(V) complexes incorporating bidentate salicylaldehyde and tridentate aldimine ligands. 309
Rather, M. A. Incorporation of peptide bonds in the synthesis of polyazamacrocyclic complexes. 283
Reddy, B. C. V. E.p.r. and optical absorption of Mn^{2+} ions in ternary $K_2SO_4 - Na_2SO_4 - ZnSO_4$ glasses. 390
Reddy, G. S. R. Preparation and characterization of mixed-ligand dihydrazone complexes of nickel(II). 101
Reddy, J. N. Equilibrium and kinetic studies of electron transfer reactions involving quinolinium dichromate and aminoalcohols in aqueous acid media. 105
Reddy, K. N. A kinetic study of the 1,10-phenanthroline-catalysed iron(III)oxidation of epimeric aldo-, and D-, and L-ketohexoses. 112
Reddy, M. K. R. A kinetic study of the 1,10-phenanthroline-catalysed iron(III)oxidation of epimeric aldo-, and D-, and L-ketohexoses. 112
Regassa, C. Organic amines reduce *trans*-dichlorotetrakis(pyridine)cobalt(III) chloride to cobalt(II). 5
Retta, N. Organic amines reduce *trans*-dichlorotetrakis(pyridine)cobalt(III) chloride to cobalt(II). 5
Revankar, V. K. Oxomolybdenum(V) complexes of 2-benzothiazolyl hydrazones. 401
Rosales-Hoz, M. de J. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Rosales, M. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11
Roy, A. Kinetics and mechanism of the anation of (αβ)-hydroxo(tetraethylenepentamine)cobalt (III) by thiosulfate, the base hydrolysis of the (sulfur-bonded) thiosulfato(tetraethylenepentamine)cobalt(III) and photochemistry of oxygen and sulfur-bonded thiosulfato complexes. 90
Rubio, R. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11
Ruina, Y. Synthesis, structure and characterization of binuclear silver(I) complexes. 28
Sahoo, R. Steric effects on complex formation between nickel(II) and (2-imidazoleazo)benzene, 2,2´-biimidazole and 2,2´-bibenzimidazole. 337
Saiprakash, P. K. A kinetic study of the 1,10-phenanthroline-catalysed iron(III)oxidation of epimeric aldo-, and D-, and L- ketohexoses. 112
Saiprakash, P. K. Equilibrium and kinetic studies of electron transfer reactions involving quinolinium dichromate and aminoalcohols in aqueous acid media. 105
Saiprakash, P. K. Mechanism of oxidation of iron(II) chelates by hexavalent chromium and heptavalent manganese in aqueous sulfuric acid and micellar media – a kinetic approach. 135
Sakane, G. Solid state synthesis and crystal structure of a novel cluster, $[WS_4Ag_3I(AsPh_3)_3](SAsPh_3)$. 398
Salberg, M. M. Binuclear copper(II) complexes of 5-nitrosalicylaldehyde N(3)-substituded thiosemicarbazones. 206
Salem, I. A. Kinetics and mechanism of the oxidation of L-ascorbic acid by the *N,N´*-ethylene*bis*(salicylideneiminato)manganese(III) complex in aqueous solution. 130
Samotus, A. Kinetics and mechanism of the oxidation of hydrogen peroxide by the octacyanotungstate(V) ion in alkaline aqueous media. 226
Sanchez, J. Monomeric copper(II) and nickel(II) complexes of *N,N,N´,N´*-tetrakis[(2-benzimidazolyl)methyl]-1,2-cyclohexanediamine, a chelating ligand containing imidazole groups. 43
Sanchez, L. Regioselective homogeneous hydrogenation of heteroaromatic nitrogen compounds by use of $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ as the precatalyst. 11
Saravanan, N. New complexes of iron(III), cobalt (II), nickel(II) and copper(II) with 2-phenyl-1,2,3-triazole-4-carboxalidene-2-aminophenol. 464
Sarkar, S. K. Kinetics and mechanism of the anation of (αβ)-hydroxo(tetraethylenepentamine) cobalt(III) by thiosulfate, the base hydrolysis of the (sulfur-bonded) thiosulfato(tetraethylenepentamine)cobalt(III) and photochemistry of oxygen and sulfur-bonded thiosulfato complexes. 90
Sarker, S. Ch. Mono- and binuclear ruthenium(II) trifluoroacetato complexes containing monodentate co-ligands. 250
Sarkhel, P. Mono- and binuclear ruthenium(II) trifluoroacetato complexes containing monodentate co-ligands. 250
Sastry, M. S. Homonuclear molybdenum(VI) and heteronuclear molybdenum(VI) copper(II) peroxo complexes containing amino acids. 410
Schwing, M-J. Formation of cobalt(II), nickel(II) and copper(II) chloro complexes in alcohols and the Irving – Williams order of stabilities. 231
Scott, E. L. Synthesis and reactivity of an unsymmetrically substituted 16-membered macrocyclic complex of nickel(II) and the crystal structure of its acyclic precursor, (3-acetyl-10-methyl-5,9-diazatrideca-3,8-diene-2,12-dionato) nickel(II). 451
Sengupta, S. K. Binuclear oxovanadium(IV) complexes of phthalazine hydrazone ligands. 262
Server-Carrio, J. Crystal and molecular structure, and electronic properties of hexakis(imidazole)copper(II) formate. 541
Shakir, M. Incorporation of peptide bonds in the synthesis of polyazamacrocyclic complexes. 283
Shakir, M. Synthesis and electrochemical studies of a new series of pendant-armed hexaazamacrocyclic transition metal complexes. 162
Sharma, S. Kinetics and mechanism of the complexation between hydroxopentaaquochromium(III) and octacyanomolybdate(IV) ions in acidic medium. 222
Shehata, A. K. Synthesis and spectroscopic studies on (4,5-dimethyl-3-pyrazolyl)aldazine nickel(II) complexes. 117
Shi, J. Synthesis and magnetism of μ–1,3,5–benzenetricarboxylatocopper(II) trinuclear complexes. 512
Shibahara, T. Solid state synthesis and crystal structure of a novel cluster, $[WS_4Ag_3I(AsPh_3)_3](SAsPh_3)$. 398
Shimizu, S. Studies on ferrocene derivatives. Part 12. Substituent effects for the disproportionation, synproportionation and ligand exchange reactions of *t*-butylferrocenes. 418
Shoukry, M. M. Metal complexes of salicylhydroxamic acid: equilibrium studies and synthesis. 176
Shrivastava, A. Synthesis, characterization and antitumour studies on *N*-salicyl-*N´*-thiobenzohydrazide and its copper(II) complex. 556

Shuben, L. Synthesis, characterization and antitumour properties of metal(II) solid complexes with Morin. 23
Siddiqi, K. S. Synthesis of new 14- and 16-membered macrocycles and their transition metal complexes. 97
Siddiqi, Z. A. Synthesis and electrochemical studies of a new series of pendant-armed hexaazamacrocyclic transition metal complexes. 162
Siekluca, B. Kinetics and mechanisms of the oxidation of the octacyanoniobate(II)ion by oxyanions in alkaline aqueous media. 200
Sieklucka, B. Kinetics and mechanism of the oxidation of hydrogen peroxide by the octacyanotungstate(V) ion in alkaline aqueous media. 226
Sindelar, Z. A novel trinuclear nickel(II) complex with a Schiff base derived from *m*-phenylenediamine and diacetyl monoxime. 287
Sindelar, Z. Binuclear iron(III) – iron(III) complexes with the tetradentate Schiff base *N,N´-bis*(salicylidene)ethylenediamine and dicarboxylic acids or dithiooxamide as bridging ligands. 49
Sindelar, Z. Investigation of {1,2-*bis*(diphenylphosphino)ethane-*P,P´*}-(dithiocarbonato-*S,S´*)-nickel(II). 81
Singh, B. A new route to bimetallic azine-bridged complexes: synthesis and characterization of mononuclear (Mn, Co, Ni, Cu, Zn), homo-binuclear (Zn–Zn) and heterobinuclear (Mn – Zn, Co – Zn, Ni – Zn, Cu – Zn) azine-bridged complexes. 413
Singh, N. Complexes of *N*-aroyl-*N´*-thiobenzohydrazide with cobalt(II), nickel(II) and zinc(II). 296
Singh, N. Synthesis, characterization and antitumour studies on *N*- salicyl-*N´*-thiobenzo-hydrazide and its copper(II) complex. 556
Singh, N. K. Complexes of *N*-aroyl-*N´*-thiobenzohydrazide with cobalt(II), nickel(II) and zinc(II). 296
Singh, N. K. Synthesis, characterization and antitumour studies on *N*-salicyl-*N´*-thiobenzohydrazide and its copper(II) complex. 556
Singh, V. P. E.s.r. studies on acylhydrazine and hydrazone copper(II) sulfate complexes. 507
Sinha, S. Mixed-ligand complexes of osmium (III/IV)8-quinolinolates with one ketoximate ligand. 154
Sivakumar, K. Preparation and characterization of metal complexes containing a NS donor ligand derived from *S*-benzyldithiocarbazate and *p*-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. 254
Sliwa, W. Metallofullerenes. 583
Smekal, Z. A novel trinuclear nickel(II) complex with a Schiff base derived from *m*-phenylenediamine and diacetyl monoxime. 287
Smekal, Z. Binuclear iron(III) – iron(III) complexes with the tetradentate Schiff base *N,N´-bis*(salicylidene)ethylenediamine and dicarboxylic
acids or dithiooxamide as bridging ligands. 49
Soayed, A. A. Synthesis and spectroscopic studies on (4,5-dimethyl-3-pyrazolyl)aldazine nickel(II) complexes. 117
Sodhi, A. Synthesis, characterization and antitumour studies on *N*-salicyl-*N´*-thiobenzo-hydrazide and its copper(II) complex. 556
Spiering, H. Light-induced excited spin-state trapping of the $Fe(ppi)_2(NCS)_2$ complex. 472
Srivastav, A. K. A new route to bimetallic azine-bridged complexes: synthesis and characterization of mononuclear (Mn, Co, Ni, Cu, Zn), homobinuclear (Zn–Zn) and heterobinuclear (Mn – Zn, Co – Zn, Ni – Zn, Cu – Zn) azine-bridged complexes. 413
Srivastava, S. Binuclear oxovanadium(IV) complexes of phthalazine hydrazone ligands. 262
Stark, A. M. Copper(II) complexes of 2-formyl-, 6-methyl-2-formyl- and 2-benzoylpyridine *N*(4)-(2-methylpyridinyl)-, *N*(4)-(2-ethylpyridinyl)- and *N*(4)-methyl(2-ethylpyridinyl)-thiosemicarbazones. 289
Sun, X-R. Oxalate-bridged mixed-valence trinuclear manganese(II) – manganese(III) – manganese(II) complexes: synthesis and magnetism. 270
Sun, X-R. The first examples of oxalate-bridged mixed-valence pentanuclear $[Mn(L)_2]_3[Mn(ox)_3]_2$ complexes: synthesis and magnetism. 95
Tabassum, S. Synthesis of new 14- and 16-membered macrocycles and their transition metal complexes. 97
Tandon, S. A new inorgano – organic ion exchanger; *p*-chlorophenol anchored to zirconium tungstate. 7
Terzis, A. Coordination complexes of L-azetidine-2-carboxylic acid with platinium (II) and palladium(II). 244
Thambidurai, S. 1-Halobenzotriazoles as new halogenating agents for metal β-diketonates. 457
Thomas, A. Equilibrium and kinetic studies of cobalt(II) complexation by folic acid. 317
Tian, Y-B. Synthesis, characterization and crystal structure of a *tris*(2-aminoethyl)amine copper complex with a imidazole coligand. 193
Tian, Y-P. Preparation and characterization of metal complexes containing a NS donor ligand derived from *S*-benzyldithiocarbazate and *p*-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. 254
Timmanagoudar, P. L. Kinetics of oxidation of thallium(I) by permanganate in aqueous hydrochloric acid medium using the stopped-flow technique. 560
Toma, H. E. Spectroscopic and kinetic study of the reaction of *trans*-nitrosylchloro*bis*(dimethylglyoximate)ruthenium(II) with acetone in the presence of amines. 71
Tong, J. The mechanism of directional oxidation of hydrazine by silver coordination compounds. 503
Travnicek, Z. Investigation of {1,2-*bis*(diphenylphosphino)ethane-*P,P´*}-(dithiocarbonato-*S,S´*)-nickel(II). 81
Tsangaris, J. M. Coordination complexes of L-azetidine-2-carboxylic acid with platinium (II) and palladium(II). 244
Upadhyay, S. K. Palladium(II) inhibition during cerium(IV) oxidation of aldoses: a kinetic study. 266
Valdes-MartRnez, J. Binuclear copper(II) complexes of 5-nitrosalicylaldehyde N(3)-substituded thiosemicarbazones. 206
Valdes-Martinez, J. Metal complexes of 2-acetylpyridine *N*(4)-dihexyl- and *N*(4)-dicyclohexylthiosemicarbazones. 573
Valenzuela-Calahorro, C. Reactions of metal(II) ions with sugar α-amino acids: nickel(II) complexes containing an α-amino acid derived from galactose or mannose. 197
Varkey, S. P. Incorporation of peptide bonds in the synthesis of polyazamacrocyclic complexes. 283
Varkey, S. P. Synthesis and electrochemical studies of a new series of pendant-armed hexaaza macrocyclic transition metal complexes. 162
Vaskelis, A. The interaction of $Fe(CN)_6^{4-}$ ions with the copper (II) – EDTA complex in alkaline solutions. 385
Vazquez-Olmos, A. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Vicente, R. Coordination behaviour of 2-guanidinobenzimidazole towards cobalt(II), nickel(II), copper(II) and zinc(II). An experimental and theoretical study. 31
Vierling, F. Formation of cobalt(II), nickel(II) and copper(II) chloro complexes in alcohols and the Irving – Williams order of stabilities. 231
Vlachopolous, N. A cyclic voltammetric study of iron(II)/ruthenium(II) complexes with *bis*(tertiary phosphines). 551
Voureka, E. Coordination complexes of L-azetidine-2-carboxylic acid with platinium (II) and palladium(II). 244
Wang, E. Synthesis, characterization and studies on the third-order optical non-linearities of novel charge-transfer heterpoly complexes $(C_8H_{12}N_2)_5H_7PMo_{12}O_{40}$ and $(C_8H_{12}N_2)_3H_3PMo_{12}O_{40}\cdot 5H_2O$. 447
Wang, G. Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. 515
Wang, G. Synthesis and magnetism of μ-1,3,5-benzenetricarboxylatocopper(II) trinuclear complexes. 512
Wang, G-L. A new ferromagnetic hetero-metallic assembly, $[Cu(en)]_3[Fe(CN)_6]_2\cdot 3H_2O$. 349
Wang, G-L. Oxalate-bridged mixed-valence trinuclear manganese(II) – manganese(III) – manganese(II) complexes: synthesis and magnetism. 270
Wang, G-L. Synthesis and magnetic properties of trinuclear chromium(III) – palladium(II) – chromium(III) complexes bridged by extended dioximato groups. 166
Wang, G-L. The first examples of oxalate-bridged mixed-valence pentanuclear $[Mn(L)_2]_3[Mn(ox)_3]_2$ complexes: synthesis and magnetism. 95
Wang, G-L. *O*-phenylene*bis*(oxamato) bridged trinuclear copper(II) complexes: synthesis and magnetic properties. 127
Wang, J-P. Preparation, characterization and magnetic properties of disubstituted ternary heteropolyoxometalates $[TBA]_3H_n[PW_9MoM_2O_{38}(H_2O)_2]\cdot 3C_3H_6O$ (TBA = tetrabutylammonium, M = transition metal) 38
Wang, L. Synthesis, characterization and interaction with DNA of ruthenium(II) mixed-ligand complexes containing pyridino[3,2-*f*][1,7]-phenanthroline. 487
Wang, Z. Synthesis, characterization and studies on the third-order optical non-linearities of novel charge-transfer heterpoly complexes $(C_8H_{12}N_2)_5H_7PMo_{12}O_{40}$ and $(C_8H_{12}N_2)_3H_3PMo_{12}O_{40}\cdot 5H_2O$. 447
West, D. X. Binuclear copper(II) complexes of 5-nitrosalicylaldehyde N(3)-substituded thiosemicarbazones. 206
West, D. X. Copper(II) complexes of 2-formyl-, 2-acetyl- and 2-benzoylpyridine *N*(4)-phenyl-, *N*(4)-*o*-methoxyphenyl-, *N*(4)-*p*-methoxyphenyl- and *N*(4)-*p*-nitrophenylthiosemicarbazones. 213
West, D. X. Copper(II) complexes of 2-formyl-, 2-acetyl- and 2-benzoylpyridine *N* (4)-*o*-, *N* (4)-*m*-, *N* (4)-p-chlorophenylthiosemicarbazones. 52
West, D. X. Copper(II) complexes of 2-formyl-, 6-methyl-2-formyl- and 2-benzoylpyridine *N*(4)-(2-methylpyridinyl)-, *N*(4)-(2-ethylpyridinyl)- and *N*(4)-methyl(2-ethylpyridinyl)- thiosemicarbazones. 289
West, D. X. Metal complexes of 2-acetylpyridine *N*(4)-dihexyl- and *N*(4)-dicyclohexylthiosemicarbazones. 573
Westhuizen, H. J. van der The substitution kinetics of the aqua ligand by cyanide ions in $[Ru(TPPS)(CO)(H_2O)]^{4-}$. 77
Williams , D. L. H. Nitric oxide release from *S*-nitrosothiols *(RSNO)* – the role of copper ions. 189
Wojciechowski, W. Thiazolidine-4-carboxylic acid and 2-aminothiazoleethanoic acid as ligands. The synthesis, magnetic, e.p.r. and spectral properties of copper(II) complexes. 312
Wu, J-z. Synthesis, characterization and interaction with DNA of ruthenium(II) mixed-ligand complexes containing pyridino[3,2-*f*][1,7]-phenanthroline. 487
Xia, S. The mechanism of directional oxidation of hydrazine by silver coordination compounds. 503
Xiang, L. Synthesis, characterization and antitumour properties of metal(II) solid complexes with Morin 23
Xin, X. Solid state synthesis and crystal structure of a novel cluster, $[WS_4Ag_3I(AsPh_3)_3]$ $(SAsPh_3)$. 398
Xu, L. Synthesis and crystal structures of three novel octanuclear heterometallic clusters $Na_2V_2[Mo_3O_4(OAc)_8]_2\cdot H_2O$, $Na_2Cr_2[Mo_{1.5}W_{1.5}O_4(O_2CEt)_8]_2$ and $Na_2Al_2[Mo_2WO_4(O_2CEt)_8]_{2\,4}$ 498
Yan, S. Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. 515
Yang, G. Synthesis, characterization and interaction with DNA of ruthenium(II) mixed-ligand complexes containing pyridino[3,2-*f*][1,7]-phenanthroline. 487
Yang, P. Study of interactions between titanocene dichloride and mononucleotides by high-resolution ^1H- and ^{31}P-nuclear magnetic resonance. 322
Yimin, H. Synthesis, structure and characterization of binuclear silver(I) complexes. 28
Yip, B-C. Synthesis, characterization and crystal structure of a *tris*(2-aminoethyl)amine copper complex with a imidazole coligand. 193
You, X-Z. Preparation and characterization of metal complexes containing a NS donor ligand derived from *S*-benzyldithiocarbazate and *p*-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. 254
You, X-Z. Preparation, characterization and magnetic properties of disubstituted ternary heteropolyoxometalates $[TBA]_3H_n[PW_9MoM_2O_{38}(H_2O)_2]\cdot 3C_3H_6O$ (TBA = tetrabutylammonium, M = transition metal). 38
You, X-Z. Synthesis, characterization and crystal structure of a *tris*(2-aminoethyl)amine copper complex with a imidazole coligand. 193
Yu, Z. Light-induced exicted spin-state trapping of the $Fe(ppi)_2(NCS)_2$ complex. 472
Yusuff, K. K. M. New complexes of iron(III), cobalt(II), nickel(II) and copper(II) with 2-phenyl-1,2,3-triazole-4-carboxalidene-2-aminophenol. 464
Zamian, J. R. Tetradentate Schiff base oxovanadium(IV) complexes. 370

Zawadzki, H. J. Nickel(II) and cobalt(II) coordination compounds of dichloroguanidinopyrimidines. 481

Zeng, T. Synthesis, characterization and interaction with DNA of ruthenium(II) mixed-ligand complexes containing pyridino[3,2-*f*][1,7]-phenanthroline. 487

Zhan, S. Synthesis and spectroscopic studies of trinuclear uranyl complexes with compartmental ligands H_4L derived from 2, 6-dipicolinoylhydrazine and 4-acyl-1-phenyl-3-methylpyrazolones-5 (where acyl = benzoyl, acetyl, *iso*-butyryl or *iso*-valeroyl). 345

Zhang, L. Synthesis, characterization and studies on the third-order optical non-linearities of novel charge-transfer heterpoly complexes $(C_8H_{12}N_2)_5H_7PMo_{12}O_{40}$ and $(C_8H_{12}N_2)_3H_3PMo_{12}O_{40}\cdot5H_2O$. 447

Zhang, S-W. Synthesis and magnetic properties of trinuclear chromium(III) – palladium(II) – chromium(III) complexes bridged by extended dioximato groups. 166

Zhang, Z. Study of interactions between titanocene dichloride and mononucleotides by high-resolution ^{1}H- and ^{31}P-nuclear magnetic resonance. 322

Zhang, Z. H. Synthesis, magnetism and crystal structure of a chloride-bridged binuclear nickel(II) complex of *tris*(2-pyridylethyl) amine. 235

Zhou, Y. Synthesis, characterization and studies on the third-order optical non-linearities of novel charge-transfer heterpoly complexes $(C_8H_{12}N_2)_5H_7PMo_{12}O_{40}$ and $(C_8H_{12}N_2)_3H_3PMo_{12}O_{40}\cdot5H_2O$. 447

Zhu, Z. A. Synthesis, magnetism and crystal structure of a chloride-bridged binuclear nickel(II) complex of *tris*(2-pyridylmethyl)amine. 235

Transaction Met. Chem. **21**, 599–603 (1996)

Keyword index

Acetamidoiminodiacetate
  acid potentiometry stability constants ternary complex 1
Acetic
  acid azamacrocycles prepn transition metal complex 97
  acid dehydro primary ligand hydrazone nickel complex 101
Acetylacetonates
  halogenation halobenzotriazole agents 457
Acid
  catalysis carbonatotetraimidazolecobalt ion hydrolysis kinetics mechanism 432
  catalysis formatn dissocn binuclear cobalt ammine complex kinetics mechanism 238
  catalysis oxdn aminoalcohols quinolinium dichromate 105
  solution pentacyanocobaltate kinetics redn 123
Acidity
  function theories oxdn 105
  pyrimidine deriv metal complex potentiometric titrations 149
Adduct
  formation nickel carbazonate complex heterocyclic nitrogen base 327
Alcohols
  amino equilibrium kinetics oxdn quinolinium dichromate 105
  chloro transition metal complex Irving–Williams stabilities 231
Aldimine
  tridentate oxovanadium bidentate salicylaldehyde complex prepn redox 309
Aldizine
  nickel pyrazoyl complex prepn 117
Aldohexoses
  kinetics oxidn iron phenanthroline-catalysed 112
Aldoxime
  pyridine deriv anation hydroxopentaaquarhodium ion kinetics mechanism 358
Alkenes
  hydrogenation rhodium allyl heterocyclic nitrogen complex catalyst 305
  polymerization metallocene Ziegler–Natta catalyst 393
Aluminium
  molybdenum tungsten octanuclear cluster prepn crystn structure 498
Amine
  anation cobalt complex kinetics mechanism 90
  aquation chloro nitro cobalt ion solvent effect 184
  chloro bridge nickel complex binuclear prepn crystn structure magnetic properties 235
  chromium complex ligand field parameters 61
  imidazole chelating ligand copper complex crystn structure 43
  imidazole copper complex prepn characterization crystn structure 193
  intermediates nitrosyl oximate ruthenium complex 71
  methylethylene cobalt ion aquation kinetics water–methanol media 437
  redn agent 5
  salicylato ethylenediamine cobalt complex base hydrolysis kinetics mechanism 565
  Schiff base nickel complex trinuclear prepn characterization 287
Amino
  acid oxidn kinetics anodically-generated manganese 519
  acid sugar deriv reaction nickel ions 197
Aminoalcohols
  equilibrium kinetics oxdn quinolinium dichromate 105
Ammines
  binuclear cobalt complex kinetics mechanism formatn dissocn 238
Ammonia
  ligand nickel dihydrazone complex 101
Anation
  kinetics mechanism hydroxopentaaquachromium 222
  kinetics mechanism hydroxopentaaquarhodium 358
  kinetics mechanism amine cobalt complex 90
Antibacterial
  transition metal thiobenzohydrazide complex 296
Antiferromagnetic
  chromium(III)–palladium(II)–chromium(III) complex heterotrinuclear 166
  copper oximato bridged complex trinuclear spin exchange 127
  manganese oxalate bridged complex trinuclear mixed-valence 270
  nickel amine chloro bridged complex binuclear crystn structure 235
Antifungal
  dihydrazone ammonia pyridine dinuclear nickel complex 101
  phthalzine hydrazone 262
  phthalazine hydrazone oxovanadium complex binuclear 262
Antitumour
  arylthiosemicarbazones 213
  metal(II) morin complex 23
  salicyl thiobenzohydrazide copper complex 556
  thiosemicarbazones 52
Antiviral
  phthalzine hydrazone 262
  phthalazine hydrazone oxovanadium complex binuclear 262
Aqua
  penta complexation octacyanomolybdate kinetics mechanism 222
  ruthenium complex cyanide substitution kinetics 77
  titanium(III) kinetics redn pentacyanocobaltate 123
Aquation
  chloro nitro*bis*(ethylenediamine)cobalt ion kinetics solvent effect 184
  methylethylenediaminecobalt ion kinetics water–methanol media 437
Arabinose
  oxidn cerium kinetics palladium inhibition 266
Arsenic
  silver tungsten cluster compound prepn crystn structure 398
Ascorbic
  acid kinetics mechanism oxidn salicylideneiminato manganese complex 130
  acid peptide bond incorporation 283
  acid tetra prepn transition metal complex 97
  activation copper cleavage DNA 460
Azetidine
  carboxylic acid deriv palladium complex prepn crystn structure circular dichroism 244
  carboxylic acid deriv platinum complex prepn crystn structure circular dichroism 244
Benzimidazole
  guanidino transition metal complex 31
Benzoxazole
  gold(III) complex reaction 169
Bimetallic
  azine bridged transition metal complex prepn characterization 413
  rhenium complex electrochem 58
Binuclear
  cobalt histinato(pentaammine) complex kinetics mechanism formatn dissocn 238
  copper bidentate exogenous bridge complex prepn spectroscopy magnetic properties 515
  copper bulky phosphine complex prepn crystn structure 546
  copper nitrosalicylaldehyde thiosemicarbazone complex prepn characterization 206
  copper Schiff base complex prepn characterization 351
  iron Schiff base complex prepn 49
  nickel amine chloro bridge complex prepn crystn structure magnetic properties 235
  nickel dihydrazone complex prepn characterization antifungal properties 101
  nickel(II)–iron(II) cyano-bridged complex prepn magnetic properties 181
  nickel pyrazoyl aldizine complex prepn 117
  nickel Schiff base complex prepn characterization crystn structure 351
  oxovanadium phthalazine hydrazone complex prepn characterization antifungal antiviral 262
  palladium platinum complex hyroxypyridinate bridging ligand 494
  rhenium electrochem 58
  ruthenium trifluoroacetato complex prepn characterization electrochem 250
  silver phosphino complex prepn structure 28
Bipyridyl
  allyl complex prepn characterization catalytic hydrogenation 305
  copper complex 19
  end-cap oximato bridged trinuclear copper complex characterization prepn 127
  iron chelate oxidn kinetics mechanism 135
  oxopyridine-2-thione transition metal complex prepn spectroscopy 300
  silver complex 19
Bromo
  benzotriazole halogenating agent acetylacetonates 457
  pentacyanocobaltate kinetics redn 123
Cadmium
  pyrimidine deriv complex prepn characterization acidity potentiometric titration 149
  salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
  Schiff base complex prepn characterization 254
Calcium
  salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
Carbazonate
  nickel complex prepn characterization adduct formation heterocyclic nitrogen bases 327
Carbon
  C–H bond activation naphthyl cyclopentadienyl palladium complex prepn characterization 187
Carboxyamide
  oxomolybdenum complex prepn characterization 570
Carboxylic
  acid azamacrocycles prepn transition metal complex 97
  acid bridging ligand binuclear iron complex 49
  acid thiazolidine deriv ligand copper complex 312
Catalysis
  acid oxdn aminoalcohols quinolinium dichromate 105
  homogeneous alkene polymerization metallocene dichloride Ziegler–Natta catalyst 393
  hydrogenation homogeneous ruthenium heteroaromatic nitrogen complex 11
  hydrogenation palladium Schiff base complex 536
  hydrogenation rhodium allyl heterocyclic nitrogen complex 305
  micelle iron chelate oxidn 135
  octacyanoniobate oxyanions kinetics mechanism 200
  phenanthroline iron oxdn hexoses 112
Cerium
  acetamidoiminodiacetate complex 1
  oxidn aldoses palladium inhibition kinetics 266
Chloro
  benzotriazole halogenating agent acetylacetonates 457
  bridged binuclear nickel amine complex prepn crystn structure magnetic properties 235
  nitro*bis*(ethylenediamine)cobalt ion aquation kinetics solvent effect 184
  pentacyanocobaltate kinetics redn 123
  tetrakis(pyridine) cobalt 5
  transition metal complex alcohols stability Irving–Williams order 231
Chromium
  aqua amino methylpyridine oxidn *N*-bromosuccinimide kinetics mechanism 406
  azamacrocycle complex prepn structure 97
  complex ligand field parameters 61
  hydroxopentaaqua complexation octacyanomolybdate kinetics mechanism 222
  molybdenum tungsten octanuclear cluster prepn crystn structure 498
  naphthylideneamino acid complex prepn characterization 219
  oxidizing agent kinetics mechanism micelle iron(II) 135
  palladium heterotrinuclear dioximato complex prepn characterization magnetic properties 166
  quinolinium dichromate oxdn aminoalcohols kinetics equilibrium 105
Cluster
  arsenic silver tungsten compound prepn crystn structure 398
  octanuclear heterometallic prepn crystn structure 498
Cobalt
  acetamidoiminodiacetate complex 1
  azamacrocycle complex prepn structure 97
  binuclear complex histinato(pentaammine) kinetics mechanism formatn dissocn 238
  carbonatotetraimidazole ion acid-catalysed hydrolysis kinetics mechanism 432
  chloro complex alcohols Irving–Williams stabilities 231
  chlorotetrakis(pyridine) complex redn 5
  complexation folic acid equilibrium kinetics 317
  dichloroguanidinopyrimidine coordination compound prepn characterzation 481
  dioxime complex prepn 64
  dioxotetraamine macrocycle complex prepn 283
  dioxygen adduct matrix supported 85
  guanidinobenzimidazole coordination compound prepn characterzation 31
  halopentacyano anion kinetics redn 123
  heteronuclear azine-bridged complex prepn characterization 413
  heteropolyoxometalate 38

methylethylenediamine ion aquation kinetics water–methanol media 437
mononuclear azine-bridged complex prepn characterization 413
monothiodiketones complex 442
nitrofurfuralaldoxime dihalide complex prepn 530
N-methyl-2-thiooxamic acid doubly-deprotonated polymeric compound prepn characterization 273
N-methyl-2-thiooxamic acid singly-deprotonated complex prepn characterization 273
photochemistry thiosulfate complex 90
salicylato amine ethylenediamine complex base hydrolysis kinetics mechanism 565
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
tetraoxime macrocycle complex polynuclear prepn characterization 331
thiobenzohydrazide complex prepn antibacterial characterization 298
thiosemicarbazone complex prepn characterization 573
thiosulfate amine complex kinetics mechanism anation 90
triazole Schiff base prepn characterization 464
Complexation
cobalt folic acid equilibrium kinetics 317
nickel imidazoles kinetics mechanism steric effects 337
Copper
acetamidoiminodiacetate complex 1
acetylpyridine *N*(4)-dihexylthiosemicarbazone prepn crystn structure 573
amine imidazole complex prepn characterization crystn structure 193
aminothiazoleethanoic acid complex prepn characterization e.p.r. 312
arylthiosemicarbazone complex prepn antitumour properties characterization 213
azamacrocycle complex prepn structure 97
benzenetricarboxylato complex trinuclear prepn magnetic properties 512
bidentate exogenous bridge complex binuclear prepn spectroscopy magnetic properties 515
bipyridyl complex 19
blue proteins model triazine complex 142
bulky phosphine complex mononuclear binuclear prepn crystn structure 546
chloro complex alcohols Irving–Williams stabilities 231
dioxotetraamine macrocycle complex prepn 283
DNA cleavage comparative activationascorbate thiols hydrogen peroxide 460
DNA cleavage novel systems 474
EDTA complex interaction hexacyanoiron(II) equilibrium constant 385
guanidinobenzimidazole coordination compound prepn characterization 31
heteroaryl thiosemicarbazone complex prepn antitumour antiviral 289
heteronuclearazine-bridged complex prepn characterization 413
heteronuclear molybdenum peroxo complex prepn characterization 410
heteropolyoxometalate 38
hexaazamacrobicyclic ligand complex mononuclear prepn characterization 428
hexaazamacrocycle complex prepn cyclic voltammetry redox 162
hexakis(imidazole) compound crystn structure molecular structure electronic properties 541
hydrazine complex prepn characterization e.s.r. 507
hydrazone complex magnetic properties 67
hydrazone complex prepn characterization e.s.r. 507
imidazole amine complex structure 43
ions nitric oxide release *S*-nitrosothiols 189
iron heterometallic assembly prepn ferromagnetic properties 349
lanthanide pyridone complex heterometallic 491
mononuclearazine-bridged complex prepn characterization 413
morin complex antitumour properties 23
nitrofurfuralaldoxime dihalide complex prepn 530
nitrosalicylaldehyde piperidylthiosemicarbazone complex binuclear prepn crystn structure 206
nitrosalicylaldehyde thiosemicarbazone binuclear complex prepn characterization 206
N-methyl-2-thiooxamic acid singly-deprotonated complex prepn characterization 273
oxamato bridged complex trinuclear prepn characterization magnetic properties 127
oxopyridine-2-thione complex prepn spectroscopy 300
promoter hydrazine oxidation silver coordination compounds 503
pyridine complex prepn 52
pyrimidine deriv complex prepn characterization acidity potentiometric titration 149
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
salicyl thiobenzohydrazide complex prep characterization antitumour 556
Schiff base complex binuclear prepn characterization 351
Schiff base complex prepn characterization 254
thiazolidine-4-carboxylic acid complex prepn characterization e.p.r. 312
thiosemicarbazone complex prepn 52
triazine complex redox potentials 142
triazole Schiff base prepn characterization 464
Crystal
structure acetylpyridine *N*(4)-dihexylthiosemicarbazone copper complex 573
structure acyclic macrocycle-precursor nickel complex 451
structure arsenic silver tungsten cluster compound prepn 398
structure copper amine imidazole co-ligand complex 193
structure copper amine imidazole-containing ligand complex 43
structure copper bulky phosphine complex mononuclear binuclear 546
structure copper hexakis(imidazole) compound 541
structure copper nitrosalicylaldehyde piperidylthiosemicarbazone complex binuclear 206
structure gold(III) *bis*(dimethyldithiocarbamato) bromide dihydrate 169
structure manganese *N*-methyl-2-thiooxamic acid singly-deprotonated complex 273
structure nickel amine chloro bridged binuclear complex 235
structure nickel amine imidazole complex 43
structure nickel diphenylphosphino dithiocarbanato 81
structure nickel 2-guanidinobenzimidazole complex 31
structure nickel phosphino complex binuclear 28
structure nickel Schiff base complex 254
structure nickel Schiff base pyridine complex 351
structure octanuclear heterometallic cluster 498
structure palladium azetidine-2-carboxylic acid complex 244
structure platinum azetidine-2-carboxylic acid complex 244
Cyanide
substitution kinetics aquo ruthenium complex 77
Cyano
bridging ligand nickel(II)–iron(II) binuclear complex prepn magnetic properties 181
octa niobate oxyanions cation catalysis kinetics mechanism 200
Cyclic
voltammetry copper hexaazamacrocycle complex prepn redox 162
voltammetry iron tertiary phosphine complex 551
voltammetry ruthenium ketooximato complex 158
voltammetry ruthenium oximato complex 423
voltammetry ruthenium tertiary phosphine complex 551
Cyclopentadienyl
naphthyl palladium complex prepn characterization 187
Dichromate
quinolinium oxdn aminoalcohols kinetics equilibrium 105
Disproportionation
substituent effects *t*-butylferrocenes 418
Distribution coefficient
transition metals ion-exchanger zinc tungstate *p*-chlorophenol 7
DNA
copper cleavage comparative activation ascorbate thiols hydrogen peroxide 460
copper cleavage novel systems 474
interaction pyridino[3,2-*f*][1,7]phenanthroline ruthenium complex 487
mechanism interaction titanocene dichloride 322
Dysprosium
copper pyridone complex prepn characterization 491
EDTA
copper complex interaction hexacyanoiron(II) equilibrium constant 385
Electrochem
copper triazine complex redox potentials 142
manganese polybenzimidazoyl complex mononuclear 524
osmium(III/IV) quinolinolate ketooximate mixed-ligand complex prepn characterization 154
rhenium bimetallic complex 58
ruthenium mono- binuclear complex trifluoroacetato monodenate ligands 250
Electron transfer
aminoalcohols oxdn quinolinium dichromate 105
Electronic
properties hexakis(imidazole) copper compound 541
e.p.r.
copper acylhdrazine complex 507
copper 2-aminothiazoleethanoic acid complex 312
copper hydrazone complex 507
copper thiazolidine-4-carboxylic acid complex 312
manganese ion glasses optical absorption zinc ion substitution 390
Equilibrium
complexation cobalt folic acid kinetics 317
hexacyanoiron(II) complex interaction copper–EDTA equilibrium constant 385
kinetics aminoalcohols oxdn quinolinium dichromate 105
salicyl hydroxamic acid metal complex potentiometry 176
Ethanoic
acid 2-aminothiazole ligand copper complex 312
Ferrocene
acetyl (thio)semicarbazone complex 16
t-butyl disproportionation synproportionation ligand exchange reactions 418
Ferromagnetism
copper iron heterometallic assembly prepn 349
Flavone
pentahydroxy metal(II) complex antitumour 23
Folic acid
complexation cobalt equilibrium kinetics 317
Fructose
kinetics oxidn iron phenanthroline-catalysed 112
Fullerenes
metallo endohedral exohedral prepn properties 583
Gadolinium
copper pyridone complex prepn characterization 491
Galactose
amino acid deriv reaction nickel ions structure determination 197
oxidn cerium kinetics palladium inhibition 266
Gelatin
immobilized matrix prepn nickel dithiooxamide complex 363
Glass
manganese ion e.p.r. optical absorption zinc ion substitution 390
Glucose
kinetics oxidn iron phenanthroline-catalysed 112
oxidn cerium kinetics palladium inhibition 266
Gold
bis(*N,N*-dimethyldithiocarbamato) bromide dihydrate crystn structure 169
complex reaction thiuram disufide 169
compounds medicinal chemistry pharmacology 377
thionato(trimethylphosphine) complex prepn 553
Guanidine
benzimidazole transition metal coordination compound 31
pyrimidine transition metal coordination compound 481
Hafnocene
dichloride substituted catalytic activity alkene polymerization 393
Halo
benzotriazoles halogenating agents acetylacetonates 457
pentacyanocobaltate kinetics redn 123
Heptonic acid
derivs reaction nickel ions
Heteroaromatic nitrogen
hydrogenation ruthenium pre-catalyst 11
Heterometallic
copper iron assembly prepn ferromagnetic properties 349
Heteropoly
charge-transfer complex prepn characterization third order non-linear optics 447
Heteropolyoxometalates
disubstituted ternary 38
Hexoses
kinetics oxidn iron phenanthroline-catalysed 112
Hydrazine
deriv in situ reaction pyrazolones ligand formation uranyl complex prepn 345
oxidn mechanism silver coordination compounds copper promotion 503
Hydrazone
biacetyl magnetic properties 67
complex nickel ammonia pyridine dinuclear prepn characterization antifungal prop 101
oxomolybdenum complex prepn characterization 401
phthalazine antifungal antiviral 262
phthalazine oxovanadium complex prepn characterization antifungal antivirus 262
Hydrogen
peroxide activation copper cleavage DNA 460
peroxide oxidn octacyanotungstate(V) kinetics mechanism 226
Hydrogenation

catalyst homogeneous heteroaromatic nitrogen ruthenium 11
catalyst palladium Schiff base complex 536
catalyst rhodium allyl heterocyclic nitrogen complex 305
Hydrolysis
acid-catalysed carbonatotetraimidazolecobalt ion kinetics mechanism 432
base salicylato amine ethylenediamine cobalt complex kinetics mechanism 565
Hydroxamic acid
aceto deriv iron complex prepn stability constants 258
cyclohexylaceto prepn characterization 258
cyclopropanecarboaceto prepn characterization 258
salicyl metal complex prepn characterization equilibrium potentiometry 176
Imidazole
amine copper complex prepn characterization crystn structure 193
chelating ligand copper crystn structure 43
chelating ligand nickel 43
cobalt ion acid-catalysed hydrolysis kinetics mechanism 432
gold(III) complex reaction 169
hexakis copper compound crystn structure molecular structure electronic properties 541
nickel complex formation kinetics mechanism steric effects 337
Iodo
pentacyanocobaltate kinetics redn 123
Ion
exchanger *p*-chlorophenol anchd zirconium tungstate characterization 7
Iron
azamacrocycle complex prepn structure 97
bridging ligands Schiff base dicarboxylic acids dithiooxamide complex binuclear 49
chelates oxidn kinetics mechanism chromium(VI) manganese(VII) 135
copper heterometallic assembly prepn ferromagnetic properties 349
heteropolyoxometalate 38
hexacyano complex interaction copper–EDTA equilibrium constant 385
hydrazone complex magnetic properties 67
hydroxamic acid deriv complex prepn stability constant 258
kinetics oxdn phenanthroline-catalysed hexoses 112
light-induced excited spin-state trapping iron pyridinalimine complex 472
nickel(II) binuclear cyano-bridged complex prepn magnetic properties 181
N-methyl-2-thiooxamic acid singly deprotonated complex prepn characterization 273
Schiff base complex prepn spectroscopic magnetic properties 469
tertiary phosphine complex cyclic voltammetry 551
thiosemicarbazone complex prepn characterization 573
triazole Schiff base complex prepn characterization 464
Irving–Williams
stabilities chloro transition metal complex alcohols 231
Keggin structure
heteropolyoxometalates 38
Ketohexoses
kinetics oxidn iron phenanthroline-catalysed 112
Ketooximate
osmium(III/IV) quinolinolate mixed ligand prepn complex characterization electrochem 154
ruthenium complex prepn characterization cyclic voltammetry 158
Kinetics
anation amine cobalt complex thiosulfate 90
aquation chloro nitro*bis*(ethylenediamine)cobalt ion solvent effect 184
aquation methylethylenediaminecobalt ion water–methanol media 437
base hydrolysis sulfur bond thiosulphate amine cobalt complex 90
equilibrium aminoalcohols oxdn quinolinium dichromate 10
equilibrium complexation cobalt folic acid 317
mechanism acid-catalysed hydrolysis carbonatotetraimidazolecobalt ion 432
mechanism anation hydroxopentaaqua ion 358
mechanism cation catalysis octacyanoniobate oxyanions 200
mechanism complexation hydroxopentaaquachromium octacyanomolybdate 222
mechanism formatn dissocn binuclear cobalt histidinato(pentammine) complex 238
mechanism base hydrolysis salicylato amine ethylenediamine cobalt complex 565
mechanism oxidn aqua amino methylpyridine chromium *N*- bromosuccinimide 406
mechanism oxidn ascorbic acid salicylideneiminato manganese complex 130
mechanism oxidn hydrogen peroxide octacyanotungstate 226
mechanism oxidn iron chelates micelle chromium(VI) manganese(VII) 135
mechanism steric effects nickel imidazoles complex formation 337
oxidn amino acids anodically-generated manganese 519
oxidn cerium aldoses palladium inhibition 266
oxdn iron phenanthroline-catalysed hexoses 112
reaction ruthenium oximate complex acetone 71
thallium oxidn aqueous media permanganate 564
Lanthanide
copper pyridone complex heterometallic 491
Lanthanum
acetamidoiminodiacetate complex 1
Ligand
exchange reactions substituent effects *t*-butylferrocenes 418
field parameters chromium pentamine complex 61
field parameters manganese ion glasses 390
monothiodiketones prepn 442
Lysine
oxidn kinetics anodically-generated manganese 519
Macrocycles
acyclic precursor nickel complex crystn structure 451
bicyclichexaza transition metal mononuclear complex 428
hexaaza 14- 16-membered copper complex prepn cyclic voltammetry redox 162
psuedo-macrocycle dioxime prepn 64
tetraaza 14- 16-membered transition metal complex prepn 97
tetraoxime prepn characterization polynuclear cobalt complex 331
Magnetic properties
chromium palladium dioximato complex hetero trinuclear 166
copper bipyridyl complex 19
copper benzenetricarboxylato complex trinuclear prepn 512
copper bidentate exogenous bridge complex binuclear prepn spectroscopy 515
copper oxamato bridged complex trinuclear 127
heteropolyoxometalates disubstituted ternary 38
hyrdrazone complex 67
manganese oxalate complex pentanuclear 95
manganese oxalate bridged complex trinuclear 270
nickel amine chloro bridge complex binuclear crystn structure 235
nickel(II)–iron(II) cyano-bridged complex binuclear 181
silver bipyridyl complex 19
Manganese
anodically-generated kinetics oxidn amino acids 519
azamacrocycle complex prepn structure 97
dioxotetraamine macrocycle complex prepn 283
heteronuclear azine-bridged complex prepn characterization 413
heteropolyoxometalate 38
ion in glasses e.p.r. optical absorption ligand field parameters substitution zinc ion 390
mononuclearazine-bridged complex prepn characterization 413
naphthylideneamino acid complex prepn characterization 219
N-methyl-2-thiooxamic acid doubly-deprotonated polymeric compd prepn characterization 273
N-methyl-2-thiooxamic acid singly-deprotonated complex prepn crystn structure 273
oxalate bridge complex trinuclear mixed-valence prepn magnetic properties 270
oxalate complex pentanuclear prepn magnetic properties 95
oxidizing agent kinetics mechanism micelle iron(II) 135
oxopyridine-2-thione complex prepn spectroscopy 300
polybenzimidazoyl complex mononuclear prepn spectroscopy electrochem 524
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
salicylideneiminato complex oxidn ascorbic acid kinetics mechanism 130
Mannose
amino acid deriv reaction nickel ions structure determination 197
kinetics oxidn iron phenanthroline-catalysed 112
Matrix
copolymer stabilization cobalt–dioxygen adduct 85
gelatin-immobilized prepn nickel dithiooxamide 363
Mechanism
anation amine cobalt complex thiosulfate 90
DNA cleavage copper comparative activation ascorbate thiols hydrogen peroxide 460
hydrazine oxidn silver coordination compounds copper promotion 503
interaction DNA–titanocene dichloride NMR 322
kinetics acid-catalysed hydrolysis carbonatotetraimidazolecobalt ion 432
kinetics anation hydroxopentaaqua ion 358
kinetics aqua amino methylpyridine chromium oxidn *N*-bromosuccinimide 406
kinetics base hydrolysis salicylato amine ethylenediamine cobalt complex 565
kinetics cation catalysis outer-sphere octacyanoniobate oxyanions 200
kinetics complexation hydroxopentaaquachromium octacyanomolybdate 222
kinetics formatn dissocn binuclear cobalt histidinato(pentammine) complex 238
kinetics oxidn ascorbic acid 130
kinetics oxidn hydrogen peroxide octacyanotungstate(V) 226
kinetics oxidn iron chelates micelle chromium(VI) manganese(VII) 135
kinetics redn outer-sphere halopentacyanocobaltate 123
kinetics steric effects nickel imidazoles complex formation 337
oxidn aminoalcohols 105
Medicinal
pharmacology gold compounds 377
Mercury
pyrimidine deriv complex prepn characterization acidity potentiometric titration 149
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
Metallofullerene
endohedral exohedral prepn properties 583
Metalloproteins
model compounds pyrazoyl aldizine binuclear nickel complex characterization prepn 117
Micelle
catalysis iron chelate oxidn 135
Mixed
ligands copper complex redox potentials 142
ligands nickel complex prepn characterization antifungal activity 101
ligands osmium(III/IV) quinolinolate ketooximate prepn complex characterization electrochem 154
Molybdate
octacyano complexation hydroxopentaaquachromium kinetics mechanism 222
Molybdenum
aluminium tungsten octanuclear cluster prepn crystn structure 498
chromium tungsten octanuclear cluster prepn crystn structure 498
copper peroxo complex heteronuclear prepn characterization 410
heteropoly charge transfer complex prepn third order non-linear optics 447
homonuclear peroxo complex prepn characterization 410
tungsten vanadium octanuclear cluster prepn crystn structure 498
Mononucleotides
interactions titanocene dichloride NMR 322
Morin
metal(II) complex antitumour properties 23
Naphthalene
C–H bond activation cyclopentadienyl palladium-complex prepn characterization 187
Naphthylideneamino acid
chromium manganese complex prepn Schiff base characterization 219
Nickel
acetamidoiminodiacetate complex 1
amine chloro bridge complex binuclear prepn crystn structure magnetic properties 235
azamacrocycle complex prepn structure 97
chloro complex alcohols Irving–Williams stabilities 231
chloro methylphenyl carbazonate complex prepn characterization adduct formation 327
dihydrazone ammonia pyridine dinuclear complex prepn characterization antifungal prop 101
dioxotetraamine macrocycle complex prepn 283
diphenylphosphino dithiocarbanato prepn structure 81
dithiooxamides complex prepn matrix gelatin-immobilized 363
guanidinobenzimidazole coordination compound prepn characterization 31
guanidinopyrimidine coordination compound prepn characterzation 481
heteronuclear azine-bridged complex prepn characterization 413
hexaazamacrobicyclic ligand complex mononuclear prepn characterization 428
hydrazone complex magnetic properties 67
imidazole amine complex structure 43

imidazoles complex formation kinetics mechanism steric effects 337
ions reaction sugar amino acids 197
iron(II) cyano-bridged complex binuclear prepn magnetic properties 181
16-membered macrocycle complex prepn reactivity 451
mononuclear azine-bridged complex prepn characterization 413
monothiodiketones complex 442
nitrofurfuralaldoxime dihalide complex prepn 530
N-methyl-2-thiooxamic acid doubly-deprotonated polymeric compound prepn characterization 273
N-methyl-2-thiooxamic acid singly-deprotonated complex prepn characterization 273
oxopyridine-2-thione complex prepn spectroscopy 300
propylxanthato reaction phosphinoethane 81
pyrazoyl aldizine complex binuclear prepn characterization 117
pyrimidine deriv complex prepn characterization acidity potentiometric titration 149
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
Schiff base complex characterization prepn crystn structure 351
Schiff base complex prepn characterization crystn structure 254
Schiff base complex trinuclear prepn magnetic properties characterization 287
Schiff base pyridine complex prepn characterization crystn structure 351
thiobenzohydrazide complex prepn antibacterial characterization 298
thiosemicarbazone complex prepn characterization 573
triazole Schiff base prepn characterization 464
Niobium
octacyano ion oxidn oxyanions cation catalysis kinetics mechanism 200
Nitric oxide
copper ions *S*-nitrosothiols 189
Nitro
bis(ethylenediamine)cobalt chloro ion aquation kinetics solvent effect 184
Nitrosothiols
copper ions nitric oxide 189
Nitrosyl
oximate ruthenium complex acetone amines kinetics 71
NMR
mononucleotides interactions titanocene dichloride 322
Nucleosides
pyrimidine deriv metal complex characterization prepn acidity potentiometric titrations 149
Optic
absorption manganese ion glasses e.p.r. zinc ion substitution 390
third order non-linear heteropoly complex 447
Osmium
mixed ligand quinolinolate ketooximate complex prepn characterization electrochem 154
Oxalate
bridged manganese complex trinuclear mixed-valence prepn magnetic properties 270
ligand bridged pentanuclear manganese complex prepn magnetic properties 95
Oxamic acid
transition metal complex deprotonated *N*-methyl-2-thio derivative prepn structure 273
Oxidation
amino acids anodically-generated manganese kinetics 519
aminoalcohols quinolinium dichromate 105
aqua amino methylpyridine chromium oxidn kinetics mechanism 406
ascorbic acid kinetics mechanism salicylideneiminato manganese complex 130
hydrazine mechanism silver coordination compounds copper promotion 503
iron chelates kinetics mechanism micelle chromium(VI) manganese(VII) 135
kinetics iron phenanthroline-catalysed hexoses 112
octacyanoniobate oxyanions cation catalysis kinetics mechanism 200
thallium kinetics aqueous media permanganate 560
Oximato
bridged trinuclear copper complex prepn characterization magnetic properties 127
heterotrinuclear chromium palladium complex prepn characterization magnetic properties 166
ruthenium complex prepn characterization cyclic voltammetry 423
Oxime
dioxime psuedo-macrocycle prepn 64
nitrofurfuralaldoxime dihalide complex prepn 530
nitrosyl ruthenium complex acetone amines kinetics 71
Schiff base nickel complex trinuclear prepn characterization 287
tetra macrocycle prepn characterization polynuclear complex 331
Oxomolybdenum
carboxyamide complex prepn characterization 570
hydrazone complex prepn characterization 401
Oxovanadium
bidentate salicylaldehyde tridentate aldimine complex prepn redox 309
phthalazine hydrazone complex binuclear prepn characterization antifungal antiviral 262
tetradentate Schiff base complex prepn characterization 370
Oxyanions
oxidn octacyanoniobate cation catalysis kinetics mechanism 200
Palladium
azetidine-2-carboxylic acid complex prepn crystn structure circular dichroism 244
C–H bond activation naphthyl cyclopentadienyl complex prepn characterization 187
chromium heterotrinuclear dioximato complex prep characterization magnetic properties 166
inhibition cerium oxidn aldoses kinetics 266
platinum hydroxypyridinate bridged complex binuclear prepn characterization 494
Schiff base complex catalytic activity hydrogenation isomerization hex-1-ene 536
Schiff base complex prepn characterization 254
Peptide
bond polyazamacrocyclic ligand transition metal complex 283
Permanganate
thallium oxidn aqueous-media kinetics 560
Peroxo
heteronuclear copper molybdenum complex prepn characterization 410
homonuclear molybdenum complex prepn characterization 410
Pharmacology
gold compounds medicinal chemistry 377
Phenanthroline
allyl complex prepn characterization catalytic hydrogenation 305
catalysis iron oxdn hexoses 112
end-cap oximato bridged trinuclear copper complex characterization prepn 127
iron chelate oxidn kinetics mechanism 135
oxopyridine-2-thione transition metal complex prepn spectroscopy 300
pyridino[3,2-*f*][1,7]phenanthroline ruthenium complex prepn interaction DNA 487
Phenylalanine
oxidn kinetics anodically-generated manganese 519
Phosphine
binuclear silver complex prepn crystn structure 28
tertiary transition metal complex cyclic voltammetry 551
bulky ligand copper complex mononuclear binuclear prepn crystn structure 546
thiocarbanato nickel complex crystn structure 81
Photochemistry
oxygen-bonded thiosulfate ruthenium complex 90
sulfur-bonded thiosulfate ruthenium complex 90
Platinum
azetidine-2-carboxylic acid complex prepn crystn structure circular dichroism 244
palladium hydroxypyridinate bridged complex binuclear prepn characterization 494
Polymerization
alkene homogeneous Ziegler–Natta metallocene dichloride catalyst 393
Polynuclear
chromium palladium dioximato complex heterotrinuclear prepn magnetic properties 166
cobalt tetraoxime macrocycle complex prepn characterization 331
copper oxamato bridged complex trinuclear prepn characterization magnetic properties 127
manganese oxalate bridged complex trinuclear-prepn magnetic properties 270
manganese oxalate complex pentanuclear prepn magnetic properties 95
uranyl compartmental ligands complex trinuclear prepn spectroscopy 345
Potentiometry
acetamidoiminodiacetate stability constants transition metal complex 1
salicylhydroxamic acid metal complex equilibrium 176
titrations acidity metal nucleoside complex 149
Pyrazole
aldizine nickel complex binuclear prepn 117
Pyrazolone
derivs in situ reaction 2,6-dipicolinoylhydrazine ligand formation uranyl complex prepn 345
Pyridinalimine
iron complex light-induced excited spin-state trapping 472
Pyridine
copper complex prepn 52
ligand nickel dihydrazone complex 101
Quinolinium
dichromate oxdn aminoalcohols kinetics mechanism 105
Quinolinolate
osmium(III/IV) ketooximate mixed ligand prepn complex characterization electrochem 154
Redox
hexaazamacrocycle copper complex prepn cyclic voltammetry 162
potential data oxovanadium salicylaldehyde aldimine complex 309
potentials triazine copper complex 142
Reduction
cobalt dichlorotetrakis(pyridine) complex amines 5
halopentacyanocobaltate kinetics redn 123
Rhenium
bimetallic complex electrochem 58
Rhodium
allyl heterocyclic nitrogen complex prepn characterization catalytic hydrogenation 305
anation hydroxopentaaqua ion kinetics mechanism 358
Ruthenium
aqua complex substitution cyanide ions kinetics 77
ketooximato complex prepn characterization cyclic voltammetry 158
nitrosyl complex acetone kinetics 71
oximato complex prepn characterization cyclic voltammetry 423
pre-catalyst homogeneous hydrogenation 11
pyridino[3,2-*f*][1,7]phenanthroline complex prepn characterization interaction DNA 487
tertiary phosphine complex cyclic voltammetry 551
trifluoroacetato complex prepn characterization electrochem 250
trifluoroacetato complex binuclear prepn characterization electrochem 250
Salicylaldehyde
bidentate oxovanadium tridentate aldimine complex prepn redox 309
nitro thioisemicarbazone copper complex binuclear prepn characterization 206
Salicylidene
iminato manganese complex kinetics mechanism oxidn 130
Schiff base binuclear iron complex 49
Schiff base iron complex prepn spectroscopic magnetic properties 469
Schiff base
1-acetylferrocene(thio)semicarbazone complex 16
iron complex binuclear prepn 49
iron complex prepn spectroscopic magnetic properties 469
naphthylideneamino acid ligand 219
nickel complex trinuclear prepn magnetic properties characterization 287
oxovanadium tetradentate complex prepn characterization 370
palladium complex catalyst hydrogenation isomerization hex-1-ene 536
triazole-containing transition metal complex prepn characterization 464
Semicarbazone
1-acetylferrocene complex 16
Silver
arsenic tungsten cluster compound prepn crystn structure 398
binuclear complex *bis*phosphino prepn crystn structure 28
bipyridyl complex 19
coordination compounds hydrazine oxidn mechanism copper promotion 503
Solution chemistry
cobalt dioxime complex 64
Solvent effect
carbonates aquation cobalt complex ion 184
Sorbose
kinetics oxidn iron phenanthroline-catalysed 112
Spin
light-induced excited spin-state trapping iron pyridinalimine 472
Stability constants
iron acetohydroxamic acid deriv complex 258
nickel imidazole complex formation 337
transition metal acetamidoiminodiacetate complex potentiometry 1
Steric effects
kinetics mechanism nickel imidazoles complex formation 337
Structure determination
nickel ions reaction sugar amino acids 197
Succinimide
N-bromo oxidizing agent aqua amino methylpyridine chromium complex 406
Sugars
amino acids reaction nickel ions 197

hexoses kinetics oxidn iron phenanthroline-catalysed 112
Synproportionation
substituent effects *t*-butylferrocenes 418
Thallium
permanganate oxidn aqueous-media kinetics 560
Theoretical
coordination 2-guanidinobenzimidazole transition metal 31
Thiobenzohydrazide
tetradentate ligand prepn characterization transition metal complex 298
Thiocarbamate
gold(III) bromide dihydrate crystn structure 169
Thiols
activation copper cleavage DNA 460
Thionato
(trimethylphosphine)gold complexes prepn 553
Thiooxamide
bridging ligand binuclear iron complex 49
di prepn nickel complex gelatin-immobilized matrix 363
Thiosemicarbazone
aryl copper complex prepn antitumour properties characterization 213
heteroaryl copper complex prepn antitumour antiviral 289
nitrosalicylaldehyde binuclear copper complex prepn characterization 206
transition metal complexes 573
Thiuram
disulfide reaction gold(III) complex 169
copper complex prepn antitumour activity 52
Titanium
aqua redn kinetics pentacyanocobaltate 123
Titanocene
dichloride interactions mononucleotides NMR 322
dichloride substituted catalytic activity alkene polymerization 393
Transition metal
chloro complex alcohols Irving–Williams stabilities 231
deprotonated methylthiooxamic acid complex prepn structure vibrational spectroscopy 273
hexaazamacrocycle complex prepn 162
polyazamacrocycle complex peptide bond incorporation prepn 283
thiobenzohydrazide complex prepn antibacterial characterization 296
thiosemicarbazone complex prepn characterization 573
triazole Schiff base complex 464
Triazine
copper complex redox potentials 142
Trinuclear complexes
copper benzenetricarboxylato complex prepn magnetic properties 512
hetero chromium palladium dioximato prepn characterization magnetic properties 166
oxamato bridged copper prepn characterization magnetic properties 127
Tungstate
octacyano oxidn hydrogen peroxide kinetics mechanism 226
Tungsten
aluminium molybdenum octanuclear cluster prepn crystn structure 498
arsenic silver cluster compound prepn crystn structure 398
chromium molybdenum octanuclear cluster prepn crystn structure 498
molybdenum vanadium octanuclear cluster prepn crystn structure 498
Uranium
acetamidoiminodiacetate complex 1
Uranyl
compartmental ligands complex trinuclear prepn spectroscopy 345
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
Vanadium
molybdenum tungsten octanuclear cluster prepn crystn structure 498
Wells–Dawson structure
heteropolyoxometalate complex 38
Xylose
oxidn cerium kinetics palladium inhibition 266
Yttrium
acetamidoiminodiacetate complex 1
Ziegler–Natta
homogeneous metallocene dichloride catalyst alkene polymerization 393
Zinc
azamacrocycle complex prepn structure 97
dioxotetraamine macrocycle complex prepn 283
glasses ion e.p.r. optical absorption substitution by manganese ion 390
guanidinobenzimidazole coordination compound prepn characterization 31
heteronuclear azine-bridged complex prepn characterization 413
heteropolyoxometalate 38
homobinuclear azine-bridged complex prepn characterization 413
hydrazone complex magnetic properties 67
mononuclear azine-bridged complex prepn characterization 413
morin complex antitumour properties 23
N-methyl-2-thiooxamic acid doubly-deprotonated polymeric compound prepn characterization 273
N-methyl-2-thiooxamic acid singly-deprotonated complex prepn characterization 273
oxopyridine-2-thione complex prepn spectroscopy 300
pyrimidine deriv complex prepn characterization acidity potentiometric titration 149
salicylhydroxamic acid complex prepn characterization equilibrium potentiometry 176
Schiff base complex prepn characterization 254
thiobenzohydrazide complex prepn antibacterial characterization 298
thiosemicarbazone complex prepn characterization 573
Zirconium
tungstate ion-exchanger *p*-chlorophenol ancd characterization 7
Zirconocene
dichloride substituted catalytic activity alkene polymerization 393